



US00D610806S

(12) **United States Design Patent**
Alexander

(10) **Patent No.:** **US D610,806 S**
(45) **Date of Patent:** **** Mar. 2, 2010**

(54) **FOLDED PROTECTIVE WRAP FOR EYEGLASSES**

(75) Inventor: **Jerry Alexander**, Houston, TX (US)

(73) Assignee: **Gripping Eyewear, Inc.**, Houston, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/320,917**

(22) Filed: **Jul. 8, 2008**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/302,760, filed on Jan. 24, 2008, now Pat. No. Des. 577,760.

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/265; D2/263**

(58) **Field of Classification Search** D3/219,
D3/263, 264, 265, 266, 301; 206/5, 5.1,
206/6

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D74,101	S	*	12/1927	Day	D3/265
D80,104	S	*	12/1929	Bouchard	D3/265
1,947,979	A	*	2/1934	Farrington	206/6
1,955,613	A	*	4/1934	Theilengerdes	206/5
D96,589	S	*	8/1935	Carson	D3/265
2,043,431	A	*	6/1936	Dugdale	206/6
2,184,408	A	*	12/1939	Bouchard	206/6
2,385,842	A	*	10/1945	Pratt	206/5
2,427,043	A		9/1947	Brown		
2,616,555	A	*	11/1952	Nathan	206/5
2,650,700	A		9/1953	Wolf		
2,725,914	A	*	12/1955	Daum	206/5
D182,843	S	*	5/1958	McGee et al.	D3/266
3,559,798	A	*	2/1971	Jacobsen	206/5
D247,200	S	*	2/1978	Marks	D3/265
4,290,522	A	*	9/1981	Takasaki	206/5
D264,976	S		6/1982	Greene		
D266,205	S		9/1982	Berman		

D279,522	S		7/1985	Scopettone		
4,823,943	A	*	4/1989	Chang	206/5
D307,822	S	*	5/1990	Marks	D3/265
D308,752	S		6/1990	Hall		
4,953,695	A		9/1990	Tallman		
5,032,019	A		7/1991	Burchett		

(Continued)

Primary Examiner—Celia A Murphy

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski, LLP

(57) **CLAIM**

The ornamental design for a folded protective wrap for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a of a folded protective wrap for eyeglasses showing my new design;

FIG. 2 depicts a front view of the protective wrap;

FIG. 3 is rear view of the protective wrap;

FIG. 4 is an inside elevational view of the protective wrap in an open position;

FIG. 5 is a left side view of the protective wrap shown in a closed position;

FIG. 6 is a right side view of the protective wrap shown in a closed position;


FIG. 7 is a top view of the protective wrap shown in a closed position; and,

FIG. 8 is a bottom view of the protective wrap shown in a closed position.

The patterned on the strip in FIG. 4 is understood to extend across the circumscribed area.

The broken lines shown on the surface of the article in FIGS. 1–4 are understood to represent stitching.

1 Claim, 2 Drawing Sheets



US D610,806 S

Page 2

U.S. PATENT DOCUMENTS									
D349,403	S *	8/1994	Cereda	D3/266	D484,692	S	1/2004	Lane	
D351,945	S	11/1994	Kopel		D484,693	S *	1/2004	Au	D3/265
D352,825	S	11/1994	Hsieh		D522,563	S *	6/2006	Lawrence et al.	D16/340
5,513,744	A	5/1996	Yabarra		7,201,479	B2	4/2007	Spitzer	
D371,679	S *	7/1996	Nejman	D3/265	D544,205	S *	6/2007	Fai Au	D3/265
D411,661	S	6/1999	Spence		D577,760	S *	9/2008	Alexander	D16/330
D425,300	S	5/2000	Wisniewski		2008/0083627	A1 *	4/2008	Hamm	206/6
6,199,218	B1	3/2001	Michael		2009/0026095	A1 *	1/2009	Lofland et al.	206/5
D462,837	S *	9/2002	Lin	D3/265	2009/0057165	A1 *	3/2009	Park et al.	206/6
					2009/0188814	A1 *	7/2009	Huang	206/5

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8