



US00D610806S

(12) **United States Design Patent**  
**Alexander**

(10) **Patent No.:** **US D610,806 S**  
(45) **Date of Patent:** **\*\* Mar. 2, 2010**

(54) **FOLDED PROTECTIVE WRAP FOR EYEGLASSES**

(75) Inventor: **Jerry Alexander**, Houston, TX (US)

(73) Assignee: **Gripping Eyewear, Inc.**, Houston, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/320,917**

(22) Filed: **Jul. 8, 2008**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/302,760, filed on Jan. 24, 2008, now Pat. No. Des. 577,760.

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/265; D2/263**

(58) **Field of Classification Search** ..... D3/219,  
D3/263, 264, 265, 266, 301; 206/5, 5.1,  
206/6

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D74,101 S *	12/1927	Day	.....	D3/265
D80,104 S *	12/1929	Bouchard	.....	D3/265
1,947,979 A *	2/1934	Farrington	.....	206/6
1,955,613 A *	4/1934	Theilengerdes	.....	206/5
D96,589 S *	8/1935	Carson	.....	D3/265
2,043,431 A *	6/1936	Dugdale	.....	206/6
2,184,408 A *	12/1939	Bouchard	.....	206/6
2,385,842 A *	10/1945	Pratt	.....	206/5
2,427,043 A	9/1947	Brown		
2,616,555 A *	11/1952	Nathan	.....	206/5
2,650,700 A	9/1953	Wolf		
2,725,914 A *	12/1955	Daum	.....	206/5
D182,843 S *	5/1958	McGee et al.	.....	D3/266
3,559,798 A *	2/1971	Jacobsen	.....	206/5
D247,200 S *	2/1978	Marks	.....	D3/265
4,290,522 A *	9/1981	Takasaki	.....	206/5
D264,976 S	6/1982	Greene		
D266,205 S	9/1982	Berman		

D279,522 S	7/1985	Scopettone		
4,823,943 A *	4/1989	Chang	.....	206/5
D307,822 S *	5/1990	Marks	.....	D3/265
D308,752 S	6/1990	Hall		
4,953,695 A	9/1990	Tallman		
5,032,019 A	7/1991	Burchett		

(Continued)

*Primary Examiner*—Celia A Murphy

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski, LLP

(57) **CLAIM**

The ornamental design for a folded protective wrap for eyeglasses, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a of a folded protective wrap for eyeglasses showing my new design;

FIG. 2 depicts a front view of the protective wrap;

FIG. 3 is rear view of the protective wrap;

FIG. 4 is an inside elevational view of the protective wrap in an open position;

FIG. 5 is a left side view of the protective wrap shown in a closed position;

FIG. 6 is a right side view of the protective wrap shown in a closed position;


FIG. 7 is a top view of the protective wrap shown in a closed position; and,

FIG. 8 is a bottom view of the protective wrap shown in a closed position.

The patterned on the strip in FIG. 4 is understood to extend across the circumscribed area.

The broken lines shown on the surface of the article in FIGS. 1–4 are understood to represent stitching.

**1 Claim, 2 Drawing Sheets**



# US D610,806 S


Page 2

---


## U.S. PATENT DOCUMENTS

D349,403 S *	8/1994	Cereda .....	D3/266	D484,692 S	1/2004	Lane	
D351,945 S	11/1994	Kopel		D484,693 S *	1/2004	Au .....	D3/265
D352,825 S	11/1994	Hsieh		D522,563 S *	6/2006	Lawrence et al. ....	D16/340
5,513,744 A	5/1996	Yabarra		7,201,479 B2	4/2007	Spitzer	
D371,679 S *	7/1996	Nejman .....	D3/265	D544,205 S *	6/2007	Fai Au .....	D3/265
D411,661 S	6/1999	Spence		D577,760 S *	9/2008	Alexander .....	D16/330
D425,300 S	5/2000	Wisniewski		2008/0083627 A1 *	4/2008	Hamm .....	206/6
6,199,218 B1	3/2001	Michael		2009/0026095 A1 *	1/2009	Lofland et al. ....	206/5
D462,837 S *	9/2002	Lin .....	D3/265	2009/0057165 A1 *	3/2009	Park et al. ....	206/6
				2009/0188814 A1 *	7/2009	Huang .....	206/5


\* cited by examiner




**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**




**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**