



US00D610918S

(12) **United States Design Patent**
Ueda

(10) **Patent No.:** **US D610,918 S**
(45) **Date of Patent:** **** Mar. 2, 2010**

(54) **PACKAGING BAG**

D598,784 S * 8/2009 Anderson et al. D9/708

(75) Inventor: **Osao Ueda**, Osaka (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Fuji Seal International, Inc.** (JP)

| | | | |
|----|-------------|----|---------|
| AU | 708297 | B2 | 7/1996 |
| DE | 3925379 | A1 | 1/1991 |
| GB | 805631 | | 12/1958 |
| JP | 607124 | | 8/1983 |
| JP | 964285 | | 9/1996 |
| JP | 964286 | | 9/1996 |
| JP | 964298 | | 9/1996 |
| JP | 1023693 | | 10/1998 |
| WO | 96/19395 | A1 | 6/1996 |
| WO | 2008/096392 | A1 | 8/2008 |

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/335,944**

(22) Filed: **Apr. 24, 2009**

Primary Examiner—Caron Veynar

Assistant Examiner—Abraham Bahta

(30) **Foreign Application Priority Data**

Oct. 31, 2008 (JP) 2008-028016

(74) *Attorney, Agent, or Firm*—Cantor Colburn LLP

(51) **LOC (9) Cl.** **09-05**

(52) **U.S. Cl.** **D9/708**

(58) **Field of Classification Search** D9/708,
D9/711, 720–722, 414; 383/9, 6, 22, 901,
383/96, 44; 604/408, 410, 403; 222/464.2,
222/107; D24/118, 207; 128/114.1, DIG. 24
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a packaging bag, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

FIG. 1 is a perspective view the packaging bag in a filled state showing our new design;

| | | | | | | |
|-----------|---|---|---------|-----------------|-------|---------|
| D257,287 | S | * | 10/1980 | Pagels | | D24/118 |
| D263,746 | S | * | 4/1982 | Johnson et al. | | D24/118 |
| D266,533 | S | * | 10/1982 | Wilson et al. | | D24/118 |
| D291,491 | S | * | 8/1987 | Larkin | | D24/118 |
| D336,034 | S | * | 6/1993 | Rebilas | | D9/709 |
| D341,157 | S | * | 11/1993 | Kitahara et al. | | D18/56 |
| D351,228 | S | * | 10/1994 | Weiler et al. | | D24/118 |
| 5,540,358 | A | | 7/1996 | Wiles et al. | | |
| 5,600,933 | A | | 2/1997 | Wiles et al. | | |
| 5,647,511 | A | * | 7/1997 | Bond | | 222/105 |
| D398,054 | S | * | 9/1998 | Eek | | D24/118 |
| D413,258 | S | * | 8/1999 | Voller | | D9/708 |
| D439,328 | S | * | 3/2001 | Nielsen | | D24/118 |
| D502,234 | S | * | 2/2005 | Grace | | D21/736 |

FIG. 2 is a front view of FIG. 1;

FIG. 3 is a rear view of FIG. 1;

FIG. 4 is a right side view of FIG. 1;

FIG. 5 is a top view of FIG. 1;

FIG. 6 is a bottom view of FIG. 1.;

FIG. 7 is a cross sectional view along line 7—7 of FIG. 2;

FIG. 8 is a front view of the packaging bag of FIG. 1 in an unfilled state;

FIG. 9 is a right side view of FIG. 8; and,

FIG. 10 is a top view of FIG. 8.

1 Claim, 4 Drawing Sheets




FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

