



US00D610977S

(12) **United States Design Patent**
Osaka

(10) **Patent No.:** **US D610,977 S**
(45) **Date of Patent:** **** *Mar. 2, 2010**

(54) **TIRE**

(75) Inventor: **Kazuko Osaka**, Osaka (JP)

(73) Assignee: **Toyo Tire & Rubber Co., Ltd.**, Osaka (JP)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/337,175**

(22) Filed: **May 15, 2009**

(30) **Foreign Application Priority Data**

Mar. 31, 2009 (JP) 2009-007349

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/605**

(58) **Field of Classification Search** D12/500–501,
D12/544, 579, 600, 601, 605; 152/523–524,
152/DIG. 12, 555; 40/587, 596
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|-----------------------|-------|---------|
| D202,254 S * | 9/1965 | Floris | | D12/605 |
| D220,603 S * | 4/1971 | Fetty | | D12/605 |
| D442,128 S * | 5/2001 | Allison | | D12/605 |
| D447,449 S * | 9/2001 | Guspodin | | D12/605 |
| D449,803 S * | 10/2001 | Guspodin et al. | | D12/605 |
| D454,815 S * | 3/2002 | Guspodin et al. | | D12/605 |
| D556,673 S | 12/2007 | Missik-Gaffney et al. | | |
| D556,674 S | 12/2007 | Missik-Gaffney et al. | | |
| D563,311 S * | 3/2008 | Brainerd et al. | | D12/605 |
| D577,329 S * | 9/2008 | Umstot et al. | | D12/605 |
| D577,661 S * | 9/2008 | Umstot et al. | | D12/605 |
| D578,956 S * | 10/2008 | Dixon et al. | | D12/579 |

D578,957 S * 10/2008 Bonko et al. D12/579

FOREIGN PATENT DOCUMENTS

JP 1321611 2/2008

JP 1321757 2/2008

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Sterne Kessler Goldstein & Fox PLLC

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is an enlarged sectional view taken along line 8—8 in FIG. 1;

FIG. 9 is an enlarged sectional view taken along line 9—9 and line 9'—9' in FIG. 2;



FIG. 10 is a cross-sectional view taken along line 10'—10' in FIG. 9 and along line 10—10 in FIG. 6;

FIG. 11 is a cross-sectional view taken along line 11—11 in FIG. 9 and along line 10—10 in FIG. 6; and,

FIG. 12 is a cross-sectional view taken along line 12—12 in FIG. 9 and along line 10—10 in FIG. 6.

The broken lines in the Figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12

UNITED STATES PATENT AND TRADEMARK OFFICE
Certificate

Patent No. D. 610,977 S

Patented: March 2, 2010

On petition requesting issuance of a certificate for correction of inventorship pursuant to 35 U.S.C. 256, it has been found that the above identified patent, through error and without any deceptive intent, improperly sets forth the inventorship.

Accordingly, it is hereby certified that the correct inventorship of this patent is: Masaaki Ohara, Osaka (JP).

Signed and Sealed this Twenty-fourth Day of September 2013.

CARON D. VEYNAR
Supervisory Patent Examiner
Art Unit 2913
Technology Center 2900