US00D611002S

(12) United States Design Patent

Azzola et al.

(10) Patent No.: US D611,002 S
(45) Date of Patent: ** Mar. 2, 2010

(54) **CIRCUIT BREAKERS**

(75) Inventors: **Lucio Azzola**, Bergamo (IT); **Giovanni Frassineti**, Bergamo (IT)

(73) Assignee: **ABB S.p.A.**, Milan (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/331,873**

(22) Filed: **Feb. 3, 2009**

Related U.S. Application Data

(62) Division of application No. 29/241,662, filed on Oct. 31, 2005, now Pat. No. Des. 587,658.

(30) **Foreign Application Priority Data**

May 10, 2005 (EM) 000341169

(51) **LOC (9) Cl.** **13-03**
(52) **U.S. Cl.** **D13/160**
(58) **Field of Classification Search** D13/160; 200/43.14, 50.01, 50.21–50.23, 293, 400, 200/401; 361/42, 44, 45, 50, 71, 115, 608, 361/634
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,728,757	A	3/1988	Buxton et al.
5,362,933	A	11/1994	Kutsche et al.
D378,914	S	4/1997	Smith et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO	WO-055273	1/2005

OTHER PUBLICATIONS

ABB Sace L.V., Sace Emax. A system that's open to any solution, 604060/011 en, Jul. 1999.

(Continued)

Primary Examiner—Selina Sikder
(74) *Attorney, Agent, or Firm*—Connolly Bove Lodge & Hutz LLP

(57) **CLAIM**

The ornamental design for a "circuit breaker," as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of an embodiment of a circuit breaker;

FIG. **2** is a front view of an embodiment of a circuit breaker;

FIG. **3** is a right view of an embodiment of a circuit breaker;

FIG. **4** is a left view of an embodiment of a circuit breaker;

FIG. **5** is a bottom view of an embodiment of a circuit breaker;

FIG. **6** is a top view of an embodiment of a circuit breaker;

FIG. **7** is a perspective view of an embodiment of a circuit breaker;

FIG. **8** is a front view of an embodiment of a circuit breaker;

FIG. **9** is a right view of an embodiment of a circuit breaker;

FIG. **10** is a left view of an embodiment of a circuit breaker;

FIG. **11** is a bottom view of an embodiment of a circuit breaker; and,

FIG. **12** is a top view of an embodiment of a circuit breaker.

1 Claim, 12 Drawing Sheets



U.S. PATENT DOCUMENTS

5,717,178	A	2/1998	Turner et al.	
D402,267	S	12/1998	M'Sadoques	
5,902,973	A	5/1999	Ramey et al.	
6,177,641	B1	1/2001	Morel et al.	
6,388,867	B1	5/2002	Rakus et al.	
6,445,559	B1	9/2002	Phillips et al.	
6,489,577	B2	12/2002	Kurata	
7,064,283	B2	6/2006	Deylitz et al.	
D585,839	S *	2/2009	Azzola et al.	D13/160
D587,658	S *	3/2009	Azzola et al.	D13/160
D593,506	S *	6/2009	Azzola et al.	D13/160
2001/0025773	A1	10/2001	Rane et al.	
2004/0045796	A1	3/2004	Azzola et al.	
2006/0118397	A1	6/2006	Dahl et al.	

OTHER PUBLICATIONS

Terasaki Electric, Revolution in circuit breaker technology, 35 pp (date unknown).

Co-pending U.S. Appl. No. 29/188,211 by L. Azzola filed Aug. 15, 2003.

Co-pending U.S. Appl. No. 29/213,604 by L. Azzola filed Sep. 22, 2004.

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12