

US00D611112S

(12) **United States Design Patent**
Kay

(10) **Patent No.:** **US D611,112 S**
(45) **Date of Patent:** **** Mar. 2, 2010**

(54) **FIREARM SIGHT**

(76) **Inventor:** **Ira Mark Kay**, 7470 Foxview Dr.,
Warrenton, VA (US) 20186

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/307,193**

(22) **Filed:** **Apr. 4, 2008**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/109**

(58) **Field of Classification Search** D22/108-110,
D22/199; D16/132, 130, 133, 330, 134;
359/399, 823, 744; 42/111, 133, 119, 122
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,306,972	A *	12/1942	Meisel	42/125
3,495,339	A *	2/1970	Elliason	42/137
3,641,676	A *	2/1972	Knutsen et al.	42/136
3,645,635	A *	2/1972	Steck	356/252
3,991,500	A *	11/1976	Kershner et al.	42/120
D360,454	S *	7/1995	DePaoli	D22/109
D401,993	S *	12/1998	Kay	D22/109
D403,734	S *	1/1999	Kay	D22/109
D404,788	S *	1/1999	Gangl, Jr.	D22/109
D406,630	S *	3/1999	Emerson	D22/109
D406,631	S *	3/1999	Emerson	D22/109

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Michael A Pratt

(74) *Attorney, Agent, or Firm*—Shlesinger, Arkwright &
Garvey LLP

(57) **CLAIM**

The ornamental design for a firearm sight, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a firearm sight showing my new design;

FIG. 2 is a side elevational view of FIG. 1;

FIG. 3 is a top plan view of FIG. 1;

FIG. 4 is a bottom view of FIG. 1;

FIG. 5 is a rear view of FIG. 1;

FIG. 6 is a front view of FIG. 1;

FIG. 7 is a rear perspective view of another embodiment of a practical sight showing my new design;

FIG. 8 is a rear view of FIG. 7;

FIG. 9 is a rear perspective view of yet another embodiment of a practical sight showing my new design;

FIG. 10 is a rear view of FIG. 9;

FIG. 11 is a rear perspective view of still another embodiment of a practical sight showing my new design; and,


FIG. 12 is a rear view of FIG. 11.

The rear views of FIGS. 7, 9, and 11, represent the second through fourth embodiments of the design with all other views being the same as that shown in the first embodiment, FIGS. 1-6.

Portions of the firearm sight shown in broken lines form no part of the claimed design.

My practical sight is characterized by a gradually sloping rear surface, and a radiused front surface as viewed from the side.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12