



US00D611354S

(12) **United States Design Patent**  
**Usui et al.**

(10) **Patent No.:** **US D611,354 S**  
(45) **Date of Patent:** **\*\* Mar. 9, 2010**

(54) **JAR FOR PACKAGING**

(75) Inventors: **Takeshi Usui**, Tokyo (JP); **Takashi Matsui**, Tokyo (JP); **Yushi Watanabe**, Tokyo (JP); **Kentaro Ito**, Tokyo (JP); **Haruyo Eto**, Tokyo (JP)

(73) Assignee: **POLA Chemical Industries, Inc.**,  
Sizouka-ken (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/336,039**

(22) Filed: **Apr. 27, 2009**

(30) **Foreign Application Priority Data**

Oct. 28, 2008 (JP) ..... 2008-027624

(51) **LOC (9) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/529; D9/541; D9/543;**  
D9/561; D9/444

(58) **Field of Classification Search** ..... D9/434,  
D9/435, 444, 516, 522, 529, 530, 537, 538,  
D9/541, 543, 559, 561, 566, 567, 572, 575,  
D9/682, 686, 687, 693, 694; 215/381-385;  
220/662, 669

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D210,115 S \* 2/1968 Armour ..... D9/529
- D216,460 S \* 1/1970 Gibson ..... D9/523
- D306,826 S \* 3/1990 Bormioli ..... D9/504
- D468,646 S \* 1/2003 Joubert ..... D9/561
- D509,434 S \* 9/2005 Haruta ..... D9/504
- D526,211 S \* 8/2006 Blasko et al. .... D9/693

- D532,556 S \* 11/2006 Noh ..... D28/76
- D544,368 S \* 6/2007 Blasko et al. .... D9/693
- D558,579 S \* 1/2008 Blasko et al. .... D9/529
- D574,236 S \* 8/2008 Oates ..... D9/435
- D585,761 S \* 2/2009 Oates ..... D9/686
- D587,973 S \* 3/2009 Romano ..... D7/629
- D595,578 S \* 7/2009 Del Tedesco Zamberlan  
et al. .... D9/504
- D598,295 S \* 8/2009 Miceli et al. .... D9/561
- D601,022 S \* 9/2009 Zamberlan et al. .... D9/503

\* cited by examiner

*Primary Examiner*—Stella M Reid

*Assistant Examiner*—Keli L Hill

(74) *Attorney, Agent, or Firm*—Knobbe, Martens Olson &  
Bear, LLP

(57) **CLAIM**

The ornamental design for a jar for packaging, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a jar for packaging;

FIG. 2 is a rear view thereof;

FIG. 3 is a right side view thereof, with a left side view being a mirror image of the right side view;



FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof; and,

FIG. 6 is an exploded rear view thereof, shown with the cap removed.

The broken lines showing threads on the body of the jar are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6