



US00D611378S

(12) **United States Design Patent**
Tsz Hong

(10) **Patent No.:** **US D611,378 S**
(45) **Date of Patent:** **** Mar. 9, 2010**

(54) **WATCH BAND RETAINER**

(75) Inventor: **Li Tsz Hong**, Tuen Mun (HK)

(73) Assignee: **Advance Watch Company, Ltd.**, Long Island City, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/320,106**

(22) Filed: **Jun. 20, 2008**

(51) **LOC (9) Cl.** **11-01**

(52) **U.S. Cl.** **D11/86**

(58) **Field of Classification Search** D11/86,
D11/1-25; 224/164, 186; D10/32; 24/17 AP,
24/265 WS; 63/1.1-11

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,180,275 A * 11/1939 Boler 224/168
D135,635 S * 5/1943 Brigham D10/32

(Continued)

Primary Examiner—Catherine R Oliver

(74) *Attorney, Agent, or Firm*—Brooks Kushman P.C.

(57) **CLAIM**

The ornamental design for a watch band retainer, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a watch band retainer in accordance with an embodiment of the present invention;

FIG. 2 is a rear view of the watch band retainer of FIG. 1;

FIG. 3 is a side perspective view of the watch band retainer of FIG. 1;

FIG. 4 is a front/side perspective view of the watch band retainer of FIG. 1;

FIG. 5 is a front/side perspective view of the watch band retainer of FIG. 1 interacting with a watch band;

FIG. 6 is a front/side perspective view of the watch band retainer of FIG. 1 interacting with a watch band;

FIG. 7 is a front view of a watch band retainer in accordance with an embodiment of the present invention;

FIG. 8 is a rear view of the watch band retainer of FIG. 7;

FIG. 9 is a side perspective view of the watch band retainer of FIG. 7;

FIG. 10 is a front/side perspective view of the watch band retainer of FIG. 7;

FIG. 11 is a front/side perspective view of the watch band retainer of FIG. 7 interacting with a watch band;

FIG. 12 is a front/side perspective view of the watch band retainer of FIG. 7 interacting with a watch band;

FIG. 13 is a front view of a watch band retainer in accordance with an embodiment of the present invention;

FIG. 14 is a rear view of the watch band retainer of FIG. 13;

FIG. 15 is a side perspective view of the watch band retainer of FIG. 13;


FIG. 16 is a front/side perspective view of the watch band retainer of FIG. 13;

FIG. 17 is a front/side perspective view of the watch band retainer of FIG. 13 and a watch band in accordance with an embodiment of the present invention; and,

FIG. 18 is a front/side perspective view of the watch band retainer of FIG. 13 and a watch band in accordance with an embodiment of the present invention.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D611,378 S

Page 2

U.S. PATENT DOCUMENTS

2,359,148 A *	9/1944	Partridge	224/164	D383,409 S *	9/1997	Riley	D11/3
D230,883 S *	3/1974	Von Burg	D11/3	D409,940 S *	5/1999	Spandrio et al.	D11/3
D377,154 S *	1/1997	Rumo	D11/3	D409,941 S *	5/1999	Spandrio et al.	D11/3

* cited by examiner




Fig. 3




Fig. 6




Fig. 2




Fig. 5




Fig. 1




Fig. 4




Fig. 9




Fig. 12




Fig. 8




Fig. 11




Fig. 7



Fig. 10



Fig. 15




Fig. 18




Fig. 14




Fig. 17




Fig. 13




Fig. 16