



US00D611411S

(12) **United States Design Patent**
Harmelink

(10) **Patent No.:** **US D611,411 S**

(45) **Date of Patent:** **** Mar. 9, 2010**

(54) **ENGINE RECOIL HANDLE**

(76) **Inventor:** **Wesley Harmelink**, 9 Colony Rd.,
Travelers Rest, SC (US) 29690

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/322,067**

(22) **Filed:** **Jul. 29, 2008**

(51) **LOC (9) Cl.** **13-01**

(52) **U.S. Cl.** **D13/113; D15/1**

(58) **Field of Classification Search** D15/1-5,
D15/14, 17-18; D13/113, 116, 118; 185/41 A;
123/185.3, 185.12, 198 R, 185.1, 185.4, 41.63
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,518,979	A *	7/1970	Harkness	123/185.1
4,149,510	A *	4/1979	Koga et al.	123/185.3
D294,832	S *	3/1988	Itou et al.	D15/1
5,333,580	A *	8/1994	Hopkins	123/185.3
D396,045	S *	7/1998	Neeley	D15/1
5,862,787	A *	1/1999	Unuma et al.	123/185.3
D406,147	S *	2/1999	Watanabe	D15/1
6,079,374	A *	6/2000	Yamamoto et al.	123/41.7
6,520,141	B2 *	2/2003	Ryczek et al.	123/198 E
6,588,390	B2 *	7/2003	Kawasaki et al.	123/185.3
6,755,170	B2 *	6/2004	Morishige et al.	123/185.3
6,766,890	B2 *	7/2004	Husges et al.	192/42
6,776,133	B2 *	8/2004	Tezuka et al.	123/185.3
6,810,759	B2 *	11/2004	Tachibana	123/185.1
7,128,041	B2 *	10/2006	Hashiba	123/185.3
7,174,874	B2 *	2/2007	Horikoshi	123/185.3
D540,255	S *	4/2007	Maeda et al.	D13/113
2006/0249117	A1 *	11/2006	Davis	123/198 D

2007/0266966 A1* 11/2007 Ohsawa et al. 123/41.63

OTHER PUBLICATIONS

Recoil Handle, [on line], [retrieved on Nov. 24, 2009]. Retrieved from Internet, <URL: <http://www.google.com>>.*
Elite Motorsport, www.elitesnow.com, Billet "T" Recoil Handle and Billet Recoil Handle, website, last update Jun. 18, 2008, printed Sep. 25, 2008, 5 & 8, Elite Show Services, Inc., New York.

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Wan Laymon

(74) *Attorney, Agent, or Firm*—J. Bennett Mullinax, LLC

(57) **CLAIM**

The ornamental design for an engine recoil handle, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of the engine recoil handle according to a first embodiment of the present design;

FIG. 2 is a top plan view for an engine recoil handle assembly as shown in FIG. 1;

FIG. 3 is a bottom plan view for an engine recoil handle as shown in FIG. 1;


FIG. 4 is a right side elevation view for an engine recoil handle as shown in FIG. 1;

FIG. 5 is a left side elevation view for an engine recoil handle as shown in FIG. 1;

FIG. 6 is a rear elevation view for an engine recoil handle as shown in FIG. 1; and,

FIG. 7 is a front elevation view for an engine recoil handle as shown in FIG. 1.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG.2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7