

US00D611428S

(12) **United States Design Patent**
Chapman

(10) **Patent No.:** **US D611,428 S**
(45) **Date of Patent:** **** Mar. 9, 2010**

(54) **KEYING CONFIGURATION FOR AN ELECTRICAL CONNECTOR**

(75) Inventor: **Gordon F. Chapman**, Butler, IN (US)

(73) Assignee: **Group Dekko, Inc**, Kendallville, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/331,682**

(22) Filed: **Jan. 30, 2009**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/154**

(58) **Field of Classification Search** D13/133,
D13/138.1, 147, 154–156, 184; 439/357,
439/358, 447, 483, 586, 578, 606–610, 638,
439/660, 668–669, 678–676, 889, 892

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D340,912 S * 11/1993 Miller D13/154
6,270,379 B1 * 8/2001 Huang et al. 439/660
D500,737 S * 1/2005 Shao D13/147
D522,462 S * 6/2006 Kondas D13/154

D522,463 S * 6/2006 Novotney et al. D13/154
D531,959 S * 11/2006 Kondas D13/147
2004/0185719 A1 * 9/2004 Wang 439/638
2004/0259423 A1 * 12/2004 Elbaz et al. 439/660

* cited by examiner

Primary Examiner—Nanda Bondade

(74) *Attorney, Agent, or Firm*—Taylor & Aust, P.C.

(57) **CLAIM**

The ornamental design for a keying configuration for an electrical connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a keying configuration for an electrical connector showing my new design, the portion in phantom lines in the figures forming no part of the claimed invention;

FIG. 2 is a front view thereof;


FIG. 3 is a side view thereof;

FIG. 4 is an opposite side view thereof;

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3



Fig. 4




Fig. 5




Fig. 6