



US00D611560S

(12) **United States Design Patent**
Olinger

(10) **Patent No.:** **US D611,560 S**
(45) **Date of Patent:** **** Mar. 9, 2010**

(54) **PREY MARKER**

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski L.L.P.

(76) Inventor: **Elaina Olinger**, 7711 Twisted Oak,
Dallas, TX (US) 75231

(57) **CLAIM**

The ornamental design for a prey marker, as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/303,315**

DESCRIPTION

(22) Filed: **Feb. 6, 2008**

(51) **LOC (9) Cl.** **22-05**

(52) **U.S. Cl.** **D22/125**

(58) **Field of Classification Search** D22/125,
D22/199; 43/1–3; D8/391; D11/202, 166,
D11/182; 239/47, 50, 55, 44; 24/49.1, 66.2,
24/65, 306, DIG. 11; 119/707, 709

See application file for complete search history.

FIG. 1 is a front perspective view of a first embodiment of the prey marker;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front perspective view, wherein the tail portion is hatched to indicate that it is colored orange;

FIG. 9 is a front and left side perspective view of a second embodiment of the prey marker;

FIG. 10 is a rear and right side view thereof, with the other views of the second embodiment being the same as those in FIGS. 2–7 described above, except with the alternative coupling of the tail portion to the head portion being present;

FIG. 11 is a front and left side perspective view of a third embodiment of the prey marker; and,

FIG. 12 is a rear and right side view thereof, with the other views of the third embodiment being the same as those in FIGS. 2–7 described above, except with the alternative coupling of the tail portion to the head portion being present.

The prey marker is shown broken away to indicate indeterminate length.

It should be understood that the labels used herein for describing orientation (e.g., front, back, top, bottom, right, and left) are merely for reference, and the embodiments of my design may be disposed in any manner and still be within the scope of the present invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D166,915	S *	6/1952	Iwaniec	D2/501
2,946,106	A *	7/1960	Moran, Jr.	24/49.1
4,341,030	A	7/1982	Little		
5,000,111	A	3/1991	Gibson		
5,577,302	A *	11/1996	Bortle	24/49.1
5,592,770	A	1/1997	Gudgel		
5,669,327	A	9/1997	Beebe		
D401,660	S *	11/1998	Timm et al.	D22/125
D404,108	S *	1/1999	Eason	D22/125
D447,533	S *	9/2001	Cox	D22/125
6,681,721	B1	1/2004	Buschy		
6,708,649	B1	3/2004	Lalor et al.		
D505,479	S *	5/2005	Burgeson	D22/125
D564,345	S *	3/2008	Prada	D8/391
D575,841	S *	8/2008	Prichard	D22/125


OTHER PUBLICATIONS

GunMuse Outdoors, News at the Speed of Now; <http://www.gunmuse.com/Blog/Dr.%20Jim%20Knight/291>; Oct. 29, 2007.

* cited by examiner

Primary Examiner—Catherine R Oliver

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12