



US00D611596S

(12) **United States Design Patent**
Kousai et al.

(10) **Patent No.:** **US D611,596 S**
(45) **Date of Patent:** **** Mar. 9, 2010**

(54) **GUIDE WIRE FOR CATHETER**

(75) Inventors: **Tadashi Kousai**, Shizuoka-ken (JP);
Junichi Kobayashi, Shizuoka-ken (JP);
Yasushi Kinoshita, Shizuoka-ken (JP)

(73) Assignee: **Terumo Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/309,714**

(22) Filed: **Sep. 29, 2008**

(30) **Foreign Application Priority Data**

Mar. 27, 2008	(JP)	2008-007637
Mar. 27, 2008	(JP)	2008-007638
Mar. 27, 2008	(JP)	2008-007639
Mar. 27, 2008	(JP)	2008-007640

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/130**

(58) **Field of Classification Search** D24/112,
D24/130; 604/164.01, 164.05, 165.3, 167,
604/160, 161, 523, 264, 167.02, 272, 533,
604/525, 905, 912, 177, 83, 921, 539
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,247,942 A * 9/1993 Prather et al. 600/585

(Continued)

OTHER PUBLICATIONS

“Cheer Leader” Tri-Med Corporation issued before Mar. 27, 2008.

(Continued)

Primary Examiner—T. Chase Nelson

Assistant Examiner—Eric L Goodman

(74) *Attorney, Agent, or Firm*—Jean C. Edwards, Esq.;
Akerman Senterfitt

(57) **CLAIM**

The ornamental design for a guide wire for catheter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front, left and top of a guide wire for catheter according to one embodiment showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is rear view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is an enlarged left side view thereof;

FIG. 9 is an enlarged right side view thereof;

FIG. 10 is a partially enlarged view at 10—10 shown in FIG. 2 thereof;

FIG. 11 is a partially enlarged view at 11—11 shown in FIG. 2 thereof;

FIG. 12 is a partially enlarged view at 12—12 shown in FIG. 2 thereof;

FIG. 13 is a partially enlarged view at 13—13 shown in FIG. 2 thereof;

FIG. 14 is a partially enlarged view at 14—14 shown in FIG. 4 thereof;


FIG. 15 is a partially enlarged view at 15—15 shown in FIG. 4 thereof;

FIG. 16 is a partially enlarged view at 16—16 shown in FIG. 4 thereof; and,

FIG. 17 is a partially enlarged view at 17—17 shown in FIG. 4 thereof.

The elements shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D611,596 S

Page 2

U.S. PATENT DOCUMENTS

5,379,779 A 1/1995 Rowland et al.
D363,544 S * 10/1995 Rowland et al. D24/140
D363,776 S * 10/1995 Rowland et al. D24/140
D392,037 S * 3/1998 Musgrave et al. D24/112
6,143,013 A * 11/2000 Samson et al. 606/192
6,368,316 B1 * 4/2002 Jansen et al. 604/526
D496,728 S * 9/2004 Holsinger D24/130
6,811,958 B2 11/2004 Iwami et al.
7,104,979 B2 * 9/2006 Jansen et al. 604/525
7,278,973 B2 10/2007 Iwami et al.

2004/0024435 A1 * 2/2004 Leckrone et al. 607/101
2007/0060944 A1 * 3/2007 Boldenow et al. 606/200
2009/0157162 A1 * 6/2009 Chow et al. 623/1.11

OTHER PUBLICATIONS

“Hydra Jagwire High Performance guidewire” Boston Scientific Japan Corporation issued before Mar. 27, 2008.
“Tracer Metro Direct Wire Guide with Aqua Coat Tip” Wilson-Cook Medical Incorporation issued in 2002.

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5

◦

FIG. 6

◦

FIG. 7




FIG. 8




FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17