



US00D611617S

(12) **United States Design Patent**
Heggland

(10) **Patent No.:** **US D611,617 S**
(45) **Date of Patent:** **** Mar. 9, 2010**

(54) **SCAFFOLDING EQUIPMENT**

(75) Inventor: **Rolf Heggland**, Kristiansand (NO)

(73) Assignee: **RH Products International AS**, Skien (NO)

(**) Term: **14 Years**

(21) Appl. No.: **29/322,638**

(22) Filed: **Aug. 8, 2008**

(30) **Foreign Application Priority Data**

Feb. 12, 2008 (NO) 20080097

(51) **LOC (9) Cl.** **25-04**

(52) **U.S. Cl.** **D25/69**

(58) **Field of Classification Search** D25/68,
D25/69; 182/54, 55, 56, 112, 120, 123, 222,
182/130, 150

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,499,967	A *	2/1985	Anderson	182/222
4,825,976	A *	5/1989	Wyse	182/222
5,141,078	A *	8/1992	Wood	182/222
D341,431	S *	11/1993	Kniefel et al.	D25/69
D435,117	S *	12/2000	Johnsson et al.	D25/69
2003/0183453	A1 *	10/2003	Armstrong	182/222

* cited by examiner

Primary Examiner—Doris Clark

(74) *Attorney, Agent, or Firm*—Young & Thompson

(57) **CLAIM**

The ornamental design for scaffolding equipment, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view from one side of a first embodiment of a cross-piece forming part of the scaffolding equipment.

FIG. 2 is a side view of the cross-piece shown in FIG. 1,

FIG. 3 is a top view of the cross-piece shown in FIG. 1,

FIG. 4 is a bottom view of the cross-piece shown in FIG. 1,

FIG. 5 is a bottom perspective view from the other side of the cross-piece shown in FIG. 1,

FIG. 6 is a top perspective view from one side of a second embodiment of a cross-piece forming part of the scaffolding equipment.

FIG. 7 is a top view of the cross-piece shown in FIG. 6,

FIG. 8 is a bottom perspective view from the other side and one end of the cross-piece shown in FIG. 6,

FIG. 9 is another bottom perspective view from the other side and the other end of the cross-piece shown in FIG. 6,

FIG. 10 is a top and front perspective view of a cross-piece end member forming part of the scaffolding equipment and being used on the cross-pieces as shown on FIGS. 1–5 and 6–9,

FIG. 11 is a top, rear perspective view of the cross-piece end member of FIG. 10 as seen from one end thereof.

FIG. 12 is a bottom, rear perspective view of the cross-piece end member of FIG. 10 as seen from the other end thereof.

FIG. 13 is a bottom view of a main member of the cross-piece shown in FIGS. 1–5 and 6–9, respectively, and forming part of said scaffolding equipment.


FIG. 14 is an top view of the main member shown in FIG. 13,

FIG. 15 is an end view of the main member shown in FIG. 13.

FIG. 16 is a side view of the main member shown in FIG. 13; and,

FIG. 17 is a bottom perspective view of a safety-catch member forming part of the scaffolding equipment for attachment to the crosspiece.

1 Claim, 17 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17