



US00D611654S

(12) **United States Design Patent**
Nakasuka

(10) **Patent No.:** **US D611,654 S**
(45) **Date of Patent:** **** Mar. 9, 2010**

(54) **SAFETY RAZOR HOLDER**

(75) Inventor: **Hiroyuki Nakasuka**, Gifu (JP)

(73) Assignee: **Kai R & D Center Co., Ltd.**, Gifu (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/308,624**

(22) Filed: **Jun. 26, 2008**

(30) **Foreign Application Priority Data**

Jan. 28, 2008 (JP) 2008-001582

(51) **LOC (9) Cl.** **28-03**

(52) **U.S. Cl.** **D28/48**

(58) **Field of Classification Search** 30/32,
30/34.05, 34.1, 34.2, 41-41.8, 44-45, 47-51,
30/53-58, 526-533; D28/44.1-48
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D542,472 S * 5/2007 Sakurai D28/48
D590,995 S * 4/2009 Furuta D28/48
D593,251 S * 5/2009 King D28/48

2005/0102847 A1* 5/2005 King 30/527

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Jordan and Hamburg LLP

(57) **CLAIM**

I claim the ornamental design for a safety razor holder, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a safety razor holder of my new design;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a front elevational view thereof, the rear elevational view being a mirror image;


FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof; and,

FIG. 6 is a perspective view thereof.

The broken lines connecting the outer solid lines of the safety razor holder represent the bounds of the claim. The remaining broken lines illustrate portions of the article. None of the broken lines forms part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6