



US00D612051S

(12) **United States Design Patent**
Ruf

(10) **Patent No.:** **US D612,051 S**
(45) **Date of Patent:** **** Mar. 16, 2010**

(54) **LANCING DEVICE**
(75) Inventor: **Christopher J. Ruf**, Marietta, GA (US)
(73) Assignee: **Facet Technologies, LLC**, Kennesaw, GA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/329,649**
(22) Filed: **Dec. 18, 2008**

6,530,937 B1 3/2003 Schraga
6,558,402 B1 5/2003 Chelak et al.
6,602,268 B2 8/2003 Kuhr et al.
6,645,219 B2 11/2003 Roe
6,749,618 B2 6/2004 LeVaughn et al.
D493,532 S * 7/2004 Levaughn et al. D24/146
7,105,006 B2 9/2006 Shraga
7,175,641 B1 2/2007 Schraga
7,273,484 B2 9/2007 Thoes et al.
7,288,102 B2 10/2007 Griffin et al.
7,311,718 B2 12/2007 Schraga
D560,805 S * 1/2008 Young et al. D24/146

(51) **LOC (9) Cl.** **24-02**
(52) **U.S. Cl.** **D24/146; D24/147**
(58) **Field of Classification Search** D24/146-147,
D24/133, 114, 113; 606/181-182, 184-185,
606/167; 600/573, 583
See application file for complete search history.

(Continued)

Primary Examiner—Ian Simmons
Assistant Examiner—Wan Laymon
(74) *Attorney, Agent, or Firm*—Gardner Groff Greenwald & Villanueva, PC

(56) **References Cited**
U.S. PATENT DOCUMENTS

4,924,879 A 5/1990 O'Brien
4,976,724 A 12/1990 Nieto et al.
5,196,025 A 3/1993 Ranalletta et al.
5,282,822 A 2/1994 Macors et al.
5,423,847 A 6/1995 Strong et al.
5,554,166 A 9/1996 Lange et al.
D379,516 S * 5/1997 Rutter D24/146
5,730,753 A 3/1998 Morita
RE35,803 E 5/1998 Lange et al.
5,916,230 A 6/1999 Brenneman et al.
5,954,738 A 9/1999 LeVaughn et al.
5,984,940 A 11/1999 Davis et al.
6,022,366 A 2/2000 Schraga
6,045,567 A 4/2000 Taylor et al.
6,156,050 A 12/2000 Davis et al.
6,156,051 A 12/2000 Schraga
6,197,040 B1 3/2001 LeVaughn et al.
D444,557 S * 7/2001 Levaughn et al. D24/146
D447,566 S * 9/2001 Levaughn et al. D24/146
6,283,982 B1 * 9/2001 Levaughn et al. 606/172
6,332,871 B1 12/2001 Douglas et al.
6,419,661 B1 7/2002 Kuhr et al.
6,451,040 B1 9/2002 Purcell
6,514,270 B1 * 2/2003 Schraga 606/182

(57) **CLAIM**


The ornamental design for a lancing device, substantially as shown and described.

DESCRIPTION

FIG. 1 is an upper, side and rear perspective view of a lancing device showing my new design;
FIG. 2 is as upper, side and front perspective view thereof;
FIG. 3 is a lower, side and front perspective view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a left side view, the right opposite side being a mirror image thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a front view thereof; and,
FIG. 8 is a rear view thereof.

Portions shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D612,051 S

Page 2

U.S. PATENT DOCUMENTS

D581,533 S	11/2008	Ruf et al.			
D586,916 S *	2/2009	Faulkner et al.	D24/146		
2001/0027327 A1	10/2001	Schraga			
2003/0199892 A1	10/2003	Kim			
2005/0090850 A1	4/2005	Thoes et al.			
2005/0149089 A1	7/2005	Trissel et al.			
2006/0224172 A1	10/2006	LeVaughn et al.			
2006/0235454 A1	10/2006	LeVaughn et al.			
2006/0264996 A1	11/2006	LeVaughn et al.			
				2007/0173874 A1	7/2007 Uschold et al.
				2007/0173875 A1	7/2007 Uschold
				2007/0288047 A1	12/2007 Thoes et al.
				2008/0058631 A1 *	3/2008 Draudt et al. 600/385
				2008/0065132 A1 *	3/2008 Trissel et al. 606/182
				2008/0082116 A1	4/2008 Lathrop et al.
				2008/0082117 A1	4/2008 Ruf
				2008/0255598 A1	10/2008 LeVaughn et al.
				2009/0030441 A1 *	1/2009 Kudrna et al. 606/181

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8