

US00D612077S

(12) United States Design Patent

Bennett, Jr.

US D612,077 S (10) Patent No.:

** *Mar. 16, 2010 (45) **Date of Patent:**

LIGHT FOR AN ELECTRONIC DEVICE (54)

(76)James F. Bennett, Jr., 14 Pine Crest Dr., Nantucket, MA (US) 02554

This patent is subject to a terminal dis-Notice:

claimer.

(**)14 Years Term: Appl. No.: 29/317,935 May 9, 2008 Filed: (22)

U.S. Cl. **D26/24**; D26/52

(58)D26/26, 37, 38, 39, 40, 44, 47, 49, 51, 52, D26/57, 60, 61, 63, 67, 72, 73, 88, 95, 113, D26/118, 125, 156, 85, 89; D13/107, 108; D14/432, 435.1, 255, 356; D23/366, 367, D23/369; 362/217.02, 640, 641, 642, 643, 362/644, 652, 653, 657, 658, 659, 477, 88, 362/89, 98, 103, 104, 105, 109, 157, 171, 362/183, 190, 191, 194, 195, 249.1, 249.11, 362/311.01, 311.04, 311.05, 806, 147, 404;

See application file for complete search history.

References Cited (56)

U.S. PATENT DOCUMENTS

5,868,487 A * (Continued)

Primary Examiner—Jennifer Rivard Assistant Examiner—Angela J Lee (74) Attorney, Agent, or Firm—Nixon Peabody LLP

(57)CLAIM

The ornamental design for a light for an electronic device, as shown and described.

DESCRIPTION

The designations of the views below as top, bottom, right side, left side, front, and back and the designation of the positions of the light for an electronic device are for ease of discussion only and are not intended to limit the light for an electronic device to one particular orientation and/or any

particular position. The disclosed light for an electronic device can be oriented in other directions which would alter these designations and can be defined as being in other positions.

FIG. 1 is a perspective view of a first embodiment of a light for an electronic device;

FIG. 2 is a front view of the first embodiment of a light for an electronic device;

FIG. 3 is a back view of the first embodiment of a light for an electronic device;

FIG. 4 is a right side view of the first embodiment of a light for an electronic device;

FIG. 5 is a left side view of the first embodiment of a light for an electronic device;

FIG. 6 is a top view of the first embodiment of a light for an electronic device;

FIG. 7 is a bottom view of the first embodiment of a light for an electronic device;

FIG. 8 is another perspective view of the first embodiment of a light for an electronic device;

FIG. 9 is a perspective view of a second embodiment of a light for an electronic device;

FIG. 10 is a front view of the second embodiment of a light for an electronic device;

FIG. 11 is a back view of the second embodiment of a light for an electronic device;

FIG. 12 is a right side view of the second embodiment of a light for an electronic device;

FIG. 13 is a left side view of the second embodiment of a light for an electronic device;


FIG. 14 is a top view of the second embodiment of a light for an electronic device;

FIG. 15 is a bottom view of the second embodiment of a light for an electronic device; and,

FIG. 16 is another perspective view of the second embodiment of a light for an electronic device.

Broken lines, such as those shown in FIGS. 9–16, are for illustrative purposes only and form no part of the claimed design.

1 Claim, 12 Drawing Sheets



D21/333

US D612,077 S Page 2

U.S. PATENT	DOCUMENTS	D476,106 S *	6/2003	Kim D26/62
		D492,808 S * '	7/2004	Naghi et al D26/62
D435,679 S * 12/2000	Naghi et al D26/103			Krietzman et al 362/414
D439,353 S * 3/2001	Neiser D26/38	7.153.212 B1* 12	2/2006	Karten et al 463/47
D459,512 S * 6/2002	Naghi et al D26/51	• •		Woodard D26/61
D461,851 S * 8/2002	Hussaini et al D21/333			Kim 345/82
D462,394 S * 9/2002	Naghi et al D21/333	2001,0010105111	2,2001	221211
•	~	* cited by examiner		




FIG. 1




FIG. 2 FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9








FIG. 11




FIG. 12





FIG. 13








FIG. 15




FIG. 16