



US00D612230S

(12) **United States Design Patent**
Tanner

(10) **Patent No.:** **US D612,230 S**

(45) **Date of Patent:** **** Mar. 23, 2010**

(54) **SCREW SLOT**

6,109,851 A * 8/2000 Bauer et al. 411/411
D559,094 S * 1/2008 Totsu D8/387

(76) Inventor: **Bernard Tanner**, Box 42043, Acadia
P.O., Calgary, AB (CA) T2J 7A6

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Holly H Baynham

Assistant Examiner—Sheryl Lane

(21) Appl. No.: **29/328,890**

(74) *Attorney, Agent, or Firm*—Ryan W. Dupuis; Ade &
Company Inc.

(22) Filed: **Dec. 3, 2008**

(57) **CLAIM**

(51) **LOC (9) Cl.** **08-08**

The ornamental design for a screw slot, as shown and
described.

(52) **U.S. Cl.** **D8/387**

(58) **Field of Classification Search** 411/378,
411/393, 402, 403, 6, 435, 437, 510, 427,
411/337, 429, 400; D8/387

DESCRIPTION

See application file for complete search history.

FIG. 1 is a perspective view of the screw slot shown in the
head of an exemplary screw.

(56) **References Cited**

FIG. 2 is a plan view of the screw slot according to FIG. 1;
and,


U.S. PATENT DOCUMENTS

FIG. 3 is a sectional view along the line 3—3 of FIG. 2.

2,216,382	A *	10/1940	West et al.	411/403
2,571,641	A *	10/1951	Wing	411/141
3,177,754	A *	4/1965	Sauter	411/403
3,463,209	A *	8/1969	Podolsky	81/436
3,994,200	A *	11/1976	Swanson	411/371.1
D416,475	S *	11/1999	DePrisco	D8/387

The shape of the head of the screw within which the screw slot
is located and the body of the screw are shown for illustrative
purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG 1




FIG 2




FIG 3