



US00D612689S

(12) **United States Design Patent**
White

(10) **Patent No.:** **US D612,689 S**
(45) **Date of Patent:** **** Mar. 30, 2010**

(54) **SERVING TRAY**

(76) Inventor: **Tracy G. White**, 609 6th Ave., Apt. 7,
Lake Como, NJ (US) 07719

(**) Term: **14 Years**

(21) Appl. No.: **29/315,544**

(22) Filed: **Jul. 3, 2009**

Related U.S. Application Data

(63) Continuation-in-part of application No. 11/888,442,
filed on Aug. 1, 2007, now abandoned.

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.** **D7/553.6**

(58) **Field of Classification Search** D7/300,
D7/300.1, 312, 316, 318, 354, 356, 360, 376,
D7/380, 392.1, 394, 396.2, 396.6, 397, 500,
D7/501, 503, 505, 507, 523, 532, 535, 538,
D7/540–555, 557, 558, 560–562, 565, 566,
D7/570–571, 584–588, 601–602, 611, 624.1,
D7/629–630, 642, 669, 682–683, 686, 688,
D7/701; D6/339, 406.1–406.6, 419, 429,
D6/430; D9/340, 414–418, 420, 422–426,
D9/428–433, 456–457, 499, 500, 502, 655–657,
D9/702–703, 737, 749, 755, 761, 769, 772,
D9/901, 902; D11/152, 154, 155, 156; D12/133,
D12/416, 419, 426.1; D14/157, 447, 457;
D19/35; D24/132, 216, 220, 221, 224, 227;
D26/121; D30/123, 129–130; 220/23.83,
220/212, 506, 555, 560, 561, 574–575, 577,
220/657; 206/561, 565; 425/459, 623; 426/106,
426/119, 120, 127

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,941,286 A * 3/1976 Perkinson 294/172

D298,295 S * 11/1988 Finsilver et al. D7/545
D316,210 S * 4/1991 Giugiaro D7/545
D317,389 S * 6/1991 Penaluna et al. D7/543
D320,908 S * 10/1991 Zimmerman D7/545
D321,302 S * 11/1991 Zimmerman D7/392.1
5,697,512 A * 12/1997 Brickley 220/23.8
D408,686 S * 4/1999 Lillelund et al. D7/554.2
D432,417 S * 10/2000 McCann D9/428
D438,431 S * 3/2001 Kellermann D7/553.6
D575,988 S * 9/2008 McComas D7/549
2006/0006181 A1 * 1/2006 Rich 220/574
2006/0278560 A1 * 12/2006 Lee 206/565

* cited by examiner

Primary Examiner—Jeffrey D Asch

Assistant Examiner—Bridget L Eland

(74) *Attorney, Agent, or Firm*—Michael R. Philips

(57) **CLAIM**

The ornamental design for a serving tray, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a serving tray of the invention
being carried by a server, shown in dashed lines.

FIG. 2 is a top plan view of the serving tray of FIG. 1.

FIG. 3 is a first side view thereof.

FIG. 4 is a second side view thereof.



FIG. 5 is a first end view thereof.

FIG. 6 is a second end view thereof; and,

FIG. 7 is a bottom plan view thereof.

In FIG. 1, the broken line showing of a server is directed to
environment and is for illustrative purposes only; the broken
lines form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7