



US00D612709S

(12) **United States Design Patent**  
**Fattori et al.**

(10) **Patent No.:** **US D612,709 S**  
(45) **Date of Patent:** **\*\* Mar. 30, 2010**

(54) **MULTI-ANGLE BRACKET**

D553,479 S \* 10/2007 Stoltzfus ..... D8/354  
D565,935 S \* 4/2008 Selby ..... D8/356

(76) Inventors: **James Fattori**, 635 E. Pine St., Trevoise, PA (US) 19053; **Francis E. Loftus**, 105 Nottingham Dr., Richboro, PA (US) 18954

\* cited by examiner

*Primary Examiner*—Robert M Spear  
*Assistant Examiner*—Barbara B Lohr  
(74) *Attorney, Agent, or Firm*—Fox Rothschild LLP; Jonathan R. Lagarenne; Roman Fayerberg

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/326,779**

(57) **CLAIM**

(22) Filed: **Oct. 24, 2008**

The ornamental design for a multi-angle bracket, as shown.

(51) **LOC (9) Cl.** ..... **08-05**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D8/355**

(58) **Field of Classification Search** ..... D8/349, D8/354, 355, 356, 363, 373, 380; 248/27.1, 248/200, 218.4, 227.3, 300, 309.1; 403/187, 403/192, 230, 260, 262; 256/59, 65.01, 65.02, 256/65.03, 65.04, 65.05, 65.06, 65.07, 66  
See application file for complete search history.

FIG. 1 is a perspective view showing our new design;  
FIG. 2 is a left side view thereof;  
FIG. 3 a right side view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.


(56) **References Cited**


**U.S. PATENT DOCUMENTS**

D435,213 S \* 12/2000 Erwin ..... D8/363  
D437,772 S \* 2/2001 Erwin ..... D8/354  
D478,801 S \* 8/2003 Spruill ..... D8/354


The portions of the design depicted in broken lines form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**





**FIG. 1**



**FIG. 2**






FIG. 3



**FIG. 4**



**FIG. 5**





FIG. 6



**FIG. 7**