



US00D612725S

(12) **United States Design Patent**
Chan

(10) **Patent No.:** **US D612,725 S**
(45) **Date of Patent:** **** Mar. 30, 2010**

(54) **BOTTLE PLUG**

(75) Inventor: **Sik Leung Chan**, Tsuen Wan (HK)

(73) Assignee: **C.C. & L Company Limited**, Tsuen Wan, N.T. (HK)

(**) Term: **14 Years**

(21) Appl. No.: **29/313,108**

(22) Filed: **Dec. 8, 2008**

(30) **Foreign Application Priority Data**

Oct. 10, 2008 (HK) 0802487

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/439**

(58) **Field of Classification Search** D9/907,
D9/697, 696, 695, 530, 454, 453, 445, 444,
D9/443, 442, 439, 438, 436, 435, 434, 415;
D7/536, 535, 533, 511, 396.2, 391; D3/326,
D3/318, 302, 294; 222/568, 567, 566, 376,
222/288, 214, 212.5; 215/356, 329, 305,
215/228, 11.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D292,967 S * 12/1987 Gagnon D9/439
D327,648 S * 7/1992 Cane D9/436
D359,683 S * 6/1995 Beach D9/434
D445,682 S * 7/2001 Michael et al. D9/436
D445,683 S * 7/2001 Michael et al. D9/443
D546,178 S * 7/2007 McClain D9/435

* cited by examiner

Primary Examiner—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Daniel P. Burke & Associates,
PLLC

(57) **CLAIM**

The ornamental design for a bottle plug, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a bottle plug showing my new design in an extended position;

FIG. 2 is a side perspective of the bottle plug of FIG. 1 in an extended position;

FIG. 3 is a bottom perspective view of the bottle plug of FIG. 1 in an extended position;

FIG. 4 is a top view of the bottle plug of FIG. 1 in an extended position;

FIG. 5 is a front view of the bottle plug of FIG. 1 in an extended position. The right side view, left side view and rear view of the bottle plug in the extended position are identical to FIG. 5;

FIG. 6 is a view of the bottle plug of FIG. 5 rotated 45°, and in an extended position;

FIG. 7 is a bottom view of the bottle plug of FIG. 1 in an extended position;

FIG. 8 is a top perspective view of the bottle plug in a retracted position;


FIG. 9 is a bottom perspective view of the bottle plug of FIG. 8 in a retracted position;

FIG. 10 is a top view of the bottle plug of FIG. 8 in a retracted position;

FIG. 11 is a front view of the bottle plug of FIG. 8 in a retracted position. The right side view, left side view and rear view of the bottle plug in the retracted position are identical to FIG. 11; and,

FIG. 12 is a bottom view of the bottle plug of FIG. 8 in a retracted position.

1 Claim, 12 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12