



US00D612875S

(12) **United States Design Patent**  
**Beynon**

(10) **Patent No.:** **US D612,875 S**  
(45) **Date of Patent:** **\*\* Mar. 30, 2010**

(54) **CUTTER WITH PILOT TIP**

(75) Inventor: **Andrew Mark Beynon**, Cambridge (GB)  
(73) Assignee: **C4 Carbides Limited**, Cambridge (GB)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/326,405**  
(22) Filed: **Oct. 17, 2008**

(30) **Foreign Application Priority Data**

Apr. 22, 2008 (EM) ..... 000925201

(51) **LOC (9) Cl.** ..... **15-09**  
(52) **U.S. Cl.** ..... **D15/139**  
(58) **Field of Classification Search** ..... D8/70;  
D15/138, 139, 140; 279/62, 902; 299/87.1,  
299/107, 109; 403/381; 407/9, 33, 34, 42,  
407/54, 63, 110, 113, 114, 115; 408/114,  
408/223

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D148,211 S \* 12/1947 Bamberger ..... D15/140  
D221,048 S \* 7/1971 Bixby ..... D8/70  
D285,798 S \* 9/1986 Brunnegard et al. .... D15/143  
D287,857 S \* 1/1987 Inoue ..... D15/139  
5,111,801 A \* 5/1992 Katoh ..... 125/23.01

(Continued)

*Primary Examiner*—Sandra Snapp  
*Assistant Examiner*—Patricia Palasik  
(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye P.C.

(57) **CLAIM**


The ornamental design for a cutter with pilot tip, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view depicting a cutter with pilot tip of a first embodiment;

FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a side view thereof;  
FIG. 5 is an opposite side view thereof;  
FIG. 6 is a back end view thereof; and  
FIG. 7 is a tip end view thereof.  
FIG. 8 is a perspective view depicting a cutter with pilot tip of a second embodiment;  
FIG. 9 is a front view thereof;  
FIG. 10 is a rear view thereof;  
FIG. 11 is a side view thereof;  
FIG. 12 is an opposite side view thereof;  
FIG. 13 is a back end view thereof; and  
FIG. 14 is a tip end view thereof.  
FIG. 15 is a perspective view depicting a cutter with pilot tip of a third embodiment;  
FIG. 16 is a front view thereof;  
FIG. 17 is a rear view thereof;  
FIG. 18 is a side view thereof;  
FIG. 19 is an opposite side view thereof;  
FIG. 20 is a back end view thereof; and  
FIG. 21 is a tip end view thereof.  
FIG. 22 is a perspective view depicting a cutter with pilot tip of a fourth embodiment;  
FIG. 23 is a front view thereof;  
FIG. 24 is a rear view thereof;  
FIG. 25 is a side view thereof;  
FIG. 26 is an opposite side view thereof;  
FIG. 27 is a back end view thereof; and  
FIG. 28 is a tip end view thereof.

**1 Claim, 24 Drawing Sheets**



# US D612,875 S

Page 2

---

## U.S. PATENT DOCUMENTS

D330,900 S	*	11/1992	Wakegijig	.....	D15/138	D479,253 S	*	9/2003	Chen	.....	D15/140
D363,294 S	*	10/1995	Ellis	.....	D15/139	D497,300 S	*	10/2004	Chen	.....	D8/85
D379,578 S	*	6/1997	Daniels	.....	D8/70	D570,663 S	*	6/2008	Duggan	.....	D8/70
D415,180 S	*	10/1999	Rosanwo	.....	D15/140	D589,319 S	*	3/2009	Peters	.....	D8/70
D478,263 S	*	8/2003	Welsh	.....	D8/70	D594,306 S	*	6/2009	Decker	.....	D8/70
						D596,003 S	*	7/2009	Collier	.....	D8/29

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16






Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25






Fig. 26




Fig. 27




Fig. 28