



US00D612971S

(12) **United States Design Patent**
Levine

(10) **Patent No.:** **US D612,971 S**
(45) **Date of Patent:** **** Mar. 30, 2010**

(54) **LIGHTING DEVICE**

2008/0137326 A1 6/2008 Levine

(76) Inventor: **Jonathan E. Levine**, 419 Park Ave.
South, Suite 505, New York, NY (US)
10016

(**) Term: **14 Years**

(21) Appl. No.: **29/337,468**

(22) Filed: **May 21, 2009**

(51) **LOC (9) Cl.** **26-05**

(52) **U.S. Cl.** **D26/63; D26/65**

(58) **Field of Classification Search** D26/61-65,
D26/107; 362/269, 275, 285, 371, 410, 413,
362/414, 418, 419, 427

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D175,472 S *	8/1955	Kotzin	D26/64
D176,550 S *	1/1956	Mugnai	D26/63
4,494,177 A	1/1985	Matthews	
D299,553 S	1/1989	Donato	
D314,836 S *	2/1991	Sonneman	D26/108
5,012,394 A	4/1991	Woodward	
5,169,226 A	12/1992	Friedman	
D333,008 S	2/1993	Frost et al.	
5,265,000 A	11/1993	Lin	
D348,536 S *	7/1994	Huang	D26/107
D350,620 S	9/1994	Yuen	
D408,568 S	4/1999	Schaak	
D522,677 S	6/2006	Ming	
D522,678 S	6/2006	Wang	
D522,679 S	6/2006	Hodgson	
D522,680 S *	6/2006	Stephant	D26/65
D526,080 S *	8/2006	Ancona et al.	D26/65
D542,457 S	5/2007	Fisherman et al.	
D574,531 S *	8/2008	Sun	D26/62
D590,534 S	4/2009	Levine	
D590,976 S	4/2009	Levine	

OTHER PUBLICATIONS

“Fulcrum 113311-301 Flyweight Travel Booklight,” <http://www.amazon.com/Fulcrum-113311-301-Flyweight-Travel-Booklight/dp/B0006JN7XC>, visited Aug. 17, 2007, 1 page.
U.S. Appl. No. 29/344,177, filed Sep. 24, 2009, Levine, Pending.

* cited by examiner

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Theodore W. Baker

(57) **CLAIM**

I claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting device showing my new design, as viewed from the top and one side.

FIG. 2 is a hack elevation view of the lighting device of FIG. 1.

FIG. 3 is a first side elevation view of the lighting device of FIG. 1.

FIG. 4 is a top plan view of the lighting device of FIG. 1.

FIG. 5 is a second side elevation view of the lighting device of FIG. 1.


FIG. 6 is a front elevation view of the lighting device of FIG. 1.

FIG. 7 is a bottom plan view of the lighting device of FIG. 1; and,

FIG. 8 is a perspective view of the lighting device of FIG. 1 with the light head tilted and the U-shaped bracket supporting the light head rotated, as viewed from the top and one side.

The details shown in broken lines illustrate portions of the lighting device that form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8