



US00D612972S

(12) **United States Design Patent**  
**Levine**

(10) **Patent No.:** **US D612,972 S**  
(45) **Date of Patent:** **\*\* Mar. 30, 2010**

(54) **LIGHTING DEVICE**

(76) Inventor: **Jonathan E. Levine**, 419 Park Ave.  
South, Suite 505, New York, NY (US)  
10016

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/344,177**

(22) Filed: **Sep. 24, 2009**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/337,468,  
filed on May 21, 2009.

(51) **LOC (9) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/63; D26/65**

(58) **Field of Classification Search** ..... D26/61-65,  
D26/107; 362/269, 275, 285, 371, 410, 413,  
362/414, 418, 419, 427

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D66,996 S	4/1925	Whittington	
D175,472 S *	8/1955	Kotzin .....	D26/64
D176,550 S *	1/1956	Mugnai .....	D26/63
D278,461 S	4/1985	Pepall	
D281,357 S *	11/1985	Gismondi .....	D26/63
4,595,970 A	6/1986	Diffrient	
D314,836 S *	2/1991	Sonneman .....	D26/108
5,265,000 A	11/1993	Lin	
D348,536 S *	7/1994	Huang .....	D26/107
D350,620 S	9/1994	Yuen	
D408,568 S	4/1999	Schaak	
D441,476 S *	5/2001	Mendelsohn et al. ....	D26/63
D522,678 S	6/2006	Wang	
D522,679 S	6/2006	Hodgson	
D522,680 S *	6/2006	Stephant .....	D26/65

D563,014 S	2/2008	Levine	
D574,531 S *	8/2008	Sun .....	D26/62
D581,569 S *	11/2008	Levine .....	D26/61
D590,534 S	4/2009	Levine	
D590,976 S	4/2009	Levine	
7,591,572 B1	9/2009	Levine	
2008/0137326 A1	6/2008	Levine	

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Theodore W. Baker

(57) **CLAIM**

I claim the ornamental design for a lighting device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a lighting device showing my new design, as viewed from the top and one side.

FIG. 2 is a front elevation view of the lighting device of FIG. 1.

FIG. 3 is a back elevation view of the lighting device of FIG. 1.

FIG. 4 is a first side elevation view of the lighting device of FIG. 1.

FIG. 5 is a second side elevation view of the lighting device of FIG. 1.


FIG. 6 is a top plan view of the lighting device of FIG. 1.

FIG. 7 is a bottom plan view of the lighting device of FIG. 1; and,

FIG. 8 is a perspective view of the lighting device of FIG. 1 with the light head tilted and the U-shaped bracket supporting the light head rotated, as viewed from the top and one side.

The details shown in broken lines illustrate portions of the lighting device that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8