



US00D613265S

(12) **United States Design Patent**
Ponzio et al.

(10) **Patent No.:** **US D613,265 S**
(45) **Date of Patent:** **** Apr. 6, 2010**

(54) **HEADBAND**

D457,512 S 5/2002 Yoneda

(75) Inventors: **Claudio Ponzio**, Turin (IT); **Hugo Cicare**, Turin (IT); **Dan Mattano**, Turin (IT)

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

GB 2079881 1/1999

(Continued)

(**) Term: **14 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/250,028**

Brochure published by Peltor® entitled, "Optime —100% hearing protection —A whole range of CE-approved hearing protection. With alternatives for all noise-hazard situations." 12 pages, published prior to Oct. 31, 2005.

(22) Filed: **Oct. 31, 2006**

(Continued)

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/205**

(58) **Field of Classification Search** D14/205–206, D14/223, 147, 188, 192; 181/129–130; 379/430, 433, 444; 381/376–381, 374; D29/112
See application file for complete search history.

Primary Examiner—Paula Greene

(74) *Attorney, Agent, or Firm*—Karl G. Hanson

(56) **References Cited**

(57) **CLAIM**

The ornamental design for a headband, as shown and described.

U.S. PATENT DOCUMENTS

DESCRIPTION

321,644 A	7/1885	Schlemmer	
1,274,842 A	8/1918	Basch	
1,489,145 A	4/1924	O'Keefe	
D92,566 S	6/1934	Abraham	
D263,043 S	2/1982	Petrie	
D298,670 S	11/1988	Palmaer	
D299,025 S	12/1988	Besasio	
D313,092 S	12/1990	Nilsson	
D351,172 S	10/1994	Nakamura et al.	
D351,387 S	10/1994	Roberts	
D359,049 S	6/1995	Kanno	
D373,360 S	9/1996	Kanno	
D375,312 S	11/1996	Kanno	
D381,987 S	8/1997	Tsuge	
D391,573 S	3/1998	Nakamura	
D420,356 S	2/2000	Suzuki	
D422,592 S	4/2000	Deguchi	
D423,012 S	4/2000	Yasutomi	
6,252,970 B1 *	6/2001	Poon et al.	381/374
D445,240 S	7/2001	Persson	
D449,034 S	10/2001	Weikel et al.	

FIG. 1 is a perspective view of a headband, showing the new design.

FIG. 2 is a right side elevational view thereof, the left side elevational view being the mirror image of the right side elevational view;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;


FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

In the drawings, the broken lines form no part of the claimed design and are included merely to illustrate an exemplary environment for the headband.

The claim is directed to the edges shown in solid lines created by the meeting of the front and rear surfaces with the side surfaces of the headband.

1 Claim, 3 Drawing Sheets



US D613,265 S

Page 2

U.S. PATENT DOCUMENTS

D457,874 S 5/2002 Yoneda
D478,692 S 8/2003 Gessner
D484,868 S 1/2004 Suzuki
D491,163 S 6/2004 Green
D497,608 S 10/2004 Birgersson
D501,844 S * 2/2005 Hirano D14/192
D502,938 S 3/2005 Shibata et al.
D508,483 S 8/2005 Suzuki
D510,335 S 10/2005 Suzuki
D512,708 S 12/2005 Harris, Jr. et al.
D517,045 S 3/2006 Komiyama
D518,474 S 4/2006 Suzuki

D524,794 S 7/2006 Kim

FOREIGN PATENT DOCUMENTS

GB 2072489 3/1999
GB 3011912 6/2003

OTHER PUBLICATIONS

Brochure published by Peltor® entitled, "Peltor Hi-Viz —Visible protection." 4 pages, published prior to Oct. 31, 2005.
"Bilsom Clarity C1 Earmuff", <http://www.safetyshop.com/products/productDetail.asp?productcode=BEPP20>, 2 pages, published prior to Oct. 31, 2005.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6