



US00D613379S

(12) **United States Design Patent**  
**Contreras**

(10) **Patent No.:** **US D613,379 S**  
(45) **Date of Patent:** **\*\* Apr. 6, 2010**

(54) **GUTTER INSERT**

7,200,969 B2 4/2007 Rotter  
7,208,081 B2 4/2007 Jones  
D550,804 S 9/2007 Jones

(75) Inventor: **Jose D. M. Contreras**, West Covina, CA (US)

(73) Assignee: **Foamex Innovations Operating Company**, Media, PA (US)

(Continued)

(\*\*) Term: **14 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/342,956**

CH 661312 A5 7/1987

(22) Filed: **Sep. 3, 2009**

(51) **LOC (9) Cl.** ..... **23-01**

(Continued)

(52) **U.S. Cl.** ..... **D23/267**

(58) **Field of Classification Search** ..... D23/259–269;  
52/11–13, 16; 248/48.1; 404/4–5, 2; 405/118;  
D25/119

*Primary Examiner*—T. Chase Nelson  
*Assistant Examiner*—Eric L Goodman  
(74) *Attorney, Agent, or Firm*—Connolly Bove Lodge & Hutz LLP

See application file for complete search history.

(56) **References Cited**

(57) **CLAIM**

The ornamental design for a gutter insert, as shown and described.

U.S. PATENT DOCUMENTS

459,754 A \* 9/1891 King ..... 404/2  
D103,486 S \* 3/1937 Bonnel ..... D25/119  
D103,487 S \* 3/1937 Bonnel ..... D25/119  
D122,817 S 10/1940 Ford  
3,258,205 A 6/1966 Hurby, Jr.  
3,855,132 A 12/1974 Dugan  
4,265,963 A 5/1981 Matalon  
4,826,882 A 5/1989 Bredbenner et al.  
D307,637 S \* 5/1990 Kennedy et al. .... D25/119  
D309,343 S \* 7/1990 Koza et al. .... D23/269  
4,949,514 A 8/1990 Weller  
5,107,635 A 4/1992 Carpenter  
5,242,591 A 9/1993 Beechert et al.  
D347,682 S \* 6/1994 Kennedy et al. .... D23/267  
5,536,406 A 7/1996 Silva  
5,595,027 A 1/1997 Vail  
5,721,281 A 2/1998 Blount  
RE36,343 E 10/1999 Silva  
6,134,843 A 10/2000 Tregear  
6,223,474 B1 5/2001 Kafton  
6,442,912 B1 9/2002 Phillips et al.  
6,932,911 B1 8/2005 Groth et al.  
7,051,480 B1 \* 5/2006 Dennis ..... 52/24

**DESCRIPTION**

FIG. 1 is a right front perspective view of a gutter insert showing the invention;

FIG. 2 is a left end elevational view of the gutter insert of FIG. 1, wherein the right end elevational view is a mirror image thereof;

FIG. 3 is a top plan view of the gutter insert of FIG. 1;


FIG. 4 is a bottom plan view of the gutter insert of FIG. 1;

FIG. 5 is a rear elevational view of the gutter insert of FIG. 1; and,

FIG. 6 is a front elevational view of the gutter insert of FIG. 1.

The design is shown broken away to indicate that no particular length of gutter insert is claimed.

**1 Claim, 3 Drawing Sheets**



# US D613,379 S

Page 2

---

## U.S. PATENT DOCUMENTS

7,303,687 B2 12/2007 Groth et al.  
2002/0134029 A1 9/2002 Groom  
2004/0006927 A1 1/2004 Wickett  
2005/0034376 A1 2/2005 Pourdeyhimi et al.  
2005/0178072 A1 8/2005 Olthoff  
2005/0247611 A1\* 11/2005 Groth et al. .... 210/162  
2006/0037253 A1 2/2006 Mozeika  
2006/0096189 A1 5/2006 Pavlansky et al.  
2006/0117672 A1 6/2006 Kurple et al.

2006/0278573 A1 12/2006 Robinson  
2009/0249704 A1\* 10/2009 Wilson et al. .... 52/12

## FOREIGN PATENT DOCUMENTS

DE 10016447 A1 10/2001  
JP 06117065 A 4/1994  
JP 2001152620 A 6/2001  
JP 2008290396 A 12/2008

\* cited by examiner




FIG. 1

FIG. 2







FIG. 3

FIG. 4







FIG. 5

FIG. 6