



US00D613445S

(12) **United States Design Patent**
Beghelli

(10) **Patent No.:** **US D613,445 S**

(45) **Date of Patent:** **** Apr. 6, 2010**

(54) **EMBEDDED LIGHTING DEVICE**

(75) Inventor: **Gian Pietro Beghelli**, Monteveglio (IT)

(73) Assignee: **Beghelli S.p.A.**, Monteveglio (Bologna) (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/308,869**

(22) Filed: **Jul. 11, 2008**

(30) **Foreign Application Priority Data**

Apr. 30, 2008 (EM) 927199-001

(51) **LOC (9) Cl.** **24-05**

(52) **U.S. Cl.** **D26/74**

(58) **Field of Classification Search** D26/24-28,
D26/37, 63, 67-68, 72, 74-78, 80, 85, 88,
D26/89, 104, 108, 118, 120-122; 362/17,
362/132, 145, 147-150, 157, 217-225, 228,
362/260, 262-264, 267, 294, 310, 345, 364,
362/249, 365, 368, 432, 440; D10/111, 114
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,860,237 A * 11/1958 Baker et al. 362/330
D211,388 S * 6/1968 Harrison D26/63
D218,579 S * 9/1970 Kahn D10/114
D234,800 S * 4/1975 Swartz D26/24
D246,203 S * 10/1977 Harris D26/80
6,949,772 B2 * 9/2005 Shimizu et al. 257/99
D522,165 S * 5/2006 Hubbell et al. D26/120
D522,975 S * 6/2006 Egawa et al. D13/180

D539,943 S * 4/2007 Egawa et al. D26/24
D539,944 S * 4/2007 Egawa et al. D26/24
D568,517 S * 5/2008 Redfern et al. D26/63
D576,333 S * 9/2008 Benensohn D26/72
7,434,959 B1 * 10/2008 Wang 362/249

* cited by examiner

Primary Examiner—Philip S Hyder

Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Hedman & Costigan, P.C.;
James V. Costigan

(57) **CLAIM**

The ornamental design for embedded lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the embedded lighting device according to the present invention;

FIG. 2 is a rear view of the embedded lighting device according to the present invention;


FIG. 3 is a top view of the embedded lighting device according to the present invention which is the mirror image of the bottom view of the present invention;

FIG. 4 is a front view of the embedded lighting device according to the present invention; and,

FIG. 5 is a side view of the embedded lighting device according to the present invention which is the mirror image of the opposite side view of the present invention.

The broken lines illustrate portions of the embedded lighting device which form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5