



US00D613861S

(12) **United States Design Patent**
Hunter et al.

(10) **Patent No.:** **US D613,861 S**
(45) **Date of Patent:** **** Apr. 13, 2010**

(54) **HANDLE FOR INJECTOR**

D443,356 S * 6/2001 Pajunk et al. D24/112
D446,578 S * 8/2001 Jansen et al. D24/114

(75) Inventors: **Mark W. Hunter**, Webster Groves, MO (US); **Heath A. Doty**, Webster Groves, MO (US); **Bryce G. Rutter**, St. Louis, MO (US); **Melvin J. Leedle**, St. Louis, MO (US)

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Bristol-Myers Squibb Company**, Princeton, NJ (US)

KR 30-0289753 1/2002

(**) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/348,223**

OTHER PUBLICATIONS

(22) Filed: **Dec. 9, 2009**

Abbott Laboratories, Humira Pen Injector Product Description (circa 2006).

Related U.S. Application Data

Primary Examiner—Elizabeth A Albert

(62) Division of application No. 29/273,931, filed on Mar. 15, 2007.

Assistant Examiner—Karen E Eldridge Powers

(51) **LOC (9) Cl.** **24-02**

(74) *Attorney, Agent, or Firm*—McDonnell Boehnen Hulbert & Berghoff LLP

(52) **U.S. Cl.** **D24/130**

(57) **CLAIM**

(58) **Field of Classification Search** D19/35, D19/36, 41, 43, 44, 45, 46, 47, 48, 49, 50, D19/51, 54, 55, 56, 57; D24/108, 112, 113, D24/114, 130, 133, 138, 146, 147; 604/187, 604/188, 189, 197, 198, 207, 208, 227, 229, 604/232; 606/181, 185

The ornamental design for a handle for injector, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

FIG. 1 is a perspective view of a handle for injector showing the design.

U.S. PATENT DOCUMENTS

FIG. 2 is a side elevation view showing the design of FIG. 1.


- 2,254,449 A * 9/1941 Rasmussen 604/211
- 3,115,133 A * 12/1963 Morando 604/70
- 4,801,295 A 1/1989 Spencer 604/198
- 5,000,740 A * 3/1991 Ducharme et al. 604/162
- 5,219,339 A * 6/1993 Saito 604/198
- D371,195 S * 6/1996 Krebs D24/112
- 5,685,862 A 11/1997 Mahurkar 604/194
- D418,917 S * 1/2000 Duchon et al. D24/113

FIG. 3 is a side elevation view in a direction rotated 90 degrees from the view of FIG. 2 showing the design of FIG. 1; and,

FIG. 4 is an end view of the design of FIG. 1.

The broken-line circle in FIG. 1 which defines the bounds of the claimed design, forms no part thereof.

1 Claim, 1 Drawing Sheet



US D613,861 S

Page 2

U.S. PATENT DOCUMENTS

D447,231 S * 8/2001 Fu et al. D24/121
6,776,776 B2 * 8/2004 Alchas et al. 604/198
D542,914 S * 5/2007 Tanghoj D24/112
2005/0096595 A1 5/2005 Restelli et al. 604/198
2005/0261634 A1 11/2005 Karlsson 604/197
2005/0277895 A1 12/2005 Giambattista et al. 604/198
2005/0283115 A1 12/2005 Giambattista et al. 604/110
2007/0203458 A1 * 8/2007 Tsubota 604/198
2008/0228147 A1 * 9/2008 David-Hegerich et al. .. 604/198
2008/0269692 A1 * 10/2008 James et al. 604/198

2009/0312717 A1* 12/2009 Christiansen 604/232

FOREIGN PATENT DOCUMENTS

KR 30-0451541 5/2007
TW 400091 7/2000 19/261
TW 404756 9/2000 19/261
TW 464342 11/2001 19/261
TW 537840 6/2003 24/2
TW 559533 10/2003 24/2
TW D114434 12/2006 24/2

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4

