



US00D614017S

(12) **United States Design Patent**
Bender

(10) **Patent No.:** **US D614,017 S**

(45) **Date of Patent:** **** Apr. 20, 2010**

(54) **CARABINER CLIP LIGHT**

(76) **Inventor:** **Walter R Bender**, 1360 W. 42nd St.,
Erie, PA (US) 16508

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/315,999**

(22) **Filed:** **Aug. 13, 2009**

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/105,
D8/107, 333, 349, 356, 358, 357, 367, 372,
D8/373, 383; D11/200, 215; 24/573.11,
24/579.09, 579.11, 592.11, 599.1, 599.9,
24/600.1; 182/5; D26/37, 38

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,384,943	A *	1/1995	LeFebvre et al.	24/600.1
D402,189	S *	12/1998	Izumi	D8/382
D443,370	S *	6/2001	Yu	D26/37
D463,108	S *	9/2002	Yuen	D3/209
D473,781	S *	4/2003	Kelleghan	D8/356
D476,766	S *	7/2003	Halasz	D26/38
D478,823	S *	8/2003	Kelleghan	D10/68
D494,695	S *	8/2004	Oas	D26/37
D495,073	S *	8/2004	Kumthampinij et al.	D26/37
D501,843	S *	2/2005	Oas	D14/188
D504,306	S *	4/2005	Chisolm	D8/356
D505,867	S *	6/2005	Cooper	D10/2
6,912,836	B2 *	7/2005	Hsu	59/85
D521,587	S *	5/2006	Smith	D21/789
D533,427	S *	12/2006	Barber et al.	D8/99
D539,122	S *	3/2007	Tsai	D8/358
D551,788	S *	9/2007	Bao	D26/38

D553,480	S *	10/2007	Kelleghan	D8/356
D564,341	S *	3/2008	Kelleghan	D8/356
D573,493	S *	7/2008	Tsai	D10/72
D574,692	S *	8/2008	Cooper	D8/105
D584,437	S *	1/2009	Barber et al.	D26/37
D594,315	S *	6/2009	Szymanski et al.	D8/373
D595,119	S *	6/2009	Kelleghan	D8/356
2008/0209701	A1 *	9/2008	Goldberg	24/599.6

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Richard K. Thomson

(57) **CLAIM**

The ornamental design for a carabiner clip light, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the carabiner clip light of the present invention;

FIG. 2 is a rear view of the carabiner clip light of the present invention;

FIG. 3 is a view of the left hand side of the carabiner clip light of the present invention;


FIG. 4 is a view of the right hand side of the carabiner clip light of the present invention;

FIG. 5 is a top view of the carabiner clip light of the present invention;

FIG. 6 is a bottom view of the carabiner clip light of the present invention; and,

FIG. 7 is a perspective front view of the carabiner clip light of the present invention.

1 Claim, 7 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7