



US00D614052S

(12) **United States Design Patent**
Neitzel et al.(10) **Patent No.:** **US D614,052 S**
(45) **Date of Patent:** **** Apr. 20, 2010**(54) **SENSOR FOR IRRIGATION CONTROL**(75) Inventors: **Roger S. Neitzel**, Escondido, CA (US);
Robert Jenkins, San Diego, CA (US)(73) Assignee: **Rain Bird Corporation**, Azusa, CA
(US)(**) Term: **14 Years**(21) Appl. No.: **29/336,458**(22) Filed: **May 4, 2009**(51) LOC (9) Cl. **10-04**(52) U.S. Cl. **D10/56**; D10/101(58) Field of Classification Search D10/56,
D10/101; 73/305; 137/624.11, 7.28; 239/65,
239/70; 700/284; 702/3

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,243,999 A 4/1966 Barker
3,309,474 A 3/1967 Heinrich
3,943,762 A 3/1976 Baer
D603,738 S * 11/2009 Nies et al. D10/101
2005/0216129 A1 9/2005 Clark et al.

OTHER PUBLICATIONS

Texas Electronics, Inc., "Products—Rainfall", published at http://www.texaselectronics.com/pl_type_rainfall.htm, commercially available prior to May 4, 2009, 2 pages, Texas Electronics, Inc., Dallas, TX.

Texas Electronics, Inc., "Products—Temp/Humidity", published at http://www.texaselectronics.com/pl_type_tempHumid.htm, commercially available prior to May 4, 2009, 1 page, Texas Electronics, Inc., Dallas, TX.

Weathermatic, "Smart Solutions for the Professional Catalog of Products", commercially available prior to May 4, 2009, 4 pages, Weathermatic, Garland, TX.

* cited by examiner

Primary Examiner—Antoine D Davis

(74) Attorney, Agent, or Firm—Fitch Even Tabin & Flannery

(57) **CLAIM**

The ornamental design for a sensor for irrigation control, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a sensor for irrigation control according to our new design in which the mounting assembly is illustrated in broken lines for illustrative purposes and forms no part of the claimed design;

FIG. 2 is a front view of the sensor of FIG. 1;

FIG. 3 is a right side elevation view of the sensor of FIG. 1;

FIG. 4 is a left side elevation view of the sensor of FIG. 1;

FIG. 5 is a rear view of the sensor of FIG. 1;

FIG. 6 is a top view of the sensor of FIG. 1;

FIG. 7 is a bottom view of the sensor of FIG. 1;

FIG. 8 is a front view of a second embodiment of a sensor for irrigation control according to our new design in which various connectors and other components on the bottom surface are illustrated in broken lines for illustrative purposes and form no part of the claimed invention, the top view of the second embodiment being identical to FIG. 6;

FIG. 9 is a right side elevation view of the sensor of FIG. 8;

FIG. 10 is a left side elevation view of the sensor of FIG. 8;


FIG. 11 is a rear view of the sensor of FIG. 8;

FIG. 12 is a bottom view of the sensor of FIG. 8;

FIG. 13 is a perspective view of a third embodiment of a sensor for irrigation control according to our new design in which the mesh filter of the lid of the sensor and the mounting assembly are illustrated in broken lines for illustrative purposes and form no part of the claimed invention, the front view, right side elevation view, left side elevation view, rear view and bottom view of the third embodiment being identical to those illustrated in FIGS. 8–12; and,

FIG. 14 is a top view of the sensor of FIG. 13.

1 Claim, 14 Drawing Sheets








FIG. 1



*FIG. 2*




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14