



US00D614320S

(12) **United States Design Patent**
Yoo

(10) **Patent No.:** **US D614,320 S**

(45) **Date of Patent:** **** Apr. 20, 2010**

(54) **LED LAMP**

(75) Inventor: **Young Ho Yoo**, Goyang-si (KR)

(73) Assignee: **Fawoo Technology Co., Ltd**,
Gyeonggi-Do (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/345,850**

(22) Filed: **Oct. 22, 2009**

(51) **LOC (9) Cl.** **26-06**

(52) **U.S. Cl.** **D26/2**

(58) **Field of Classification Search** D26/1-4;
313/313, 315, 316, 317, 318, 493; 315/52,
315/53, 56, 57, 58

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D481,140 S *	10/2003	Chang	D26/2
D487,596 S *	3/2004	Callahan	D26/2
D543,288 S *	5/2007	Bembridge	D26/2

* cited by examiner

Primary Examiner—Marcus A Jackson

(74) *Attorney, Agent, or Firm*—Lee, Hong, Degerman, Kang & Waimey

(57) **CLAIM**

The ornamental design for an LED lamp, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an LED lamp;

FIG. 2 is an elevational view thereof;

FIG. 3 is a rear surface view thereof;

FIG. 4 is a left lateral view thereof;

FIG. 5 is a right lateral view thereof;

FIG. 6 is a plan view thereof; and,

FIG. 7 is a bottom view thereof.

The material of the present design application may be metal, glass or synthetic resin.

An object of the present design is a lamp configured of a candlelight in which an LED (Light Emitting Diode) is installed.

The lamp is formed at an upper section and a lower section thereof with a plurality of ventilation holes to allow heat from the LED to be discharged by convectional air.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

