



US00D614418S

(12) **United States Design Patent**
Crockett

(10) **Patent No.:** **US D614,418 S**

(45) **Date of Patent:** **** Apr. 27, 2010**

(54) **SEAT**

D476,499 S * 7/2003 Ricci D6/381
D594,244 S * 6/2009 Williams D6/381

(75) Inventor: **David Crockett**, Saltillo, MS (US)

* cited by examiner

(73) Assignee: **Southern Motion, Inc.**, Pontotoc, MS (US)

Primary Examiner—Sandra Snapp
(74) *Attorney, Agent, or Firm*—Bradley Arant Boulton Cummings, LLP; T. Gregory Peterson; Jeremy A. Smith

(**) Term: **14 Years**

(21) Appl. No.: **29/335,646**

(57) **CLAIM**

(22) Filed: **Apr. 17, 2009**

The ornamental design for a seat, as shown and described.

(51) **LOC (9) Cl.** **06-01**

DESCRIPTION

(52) **U.S. Cl.** **D6/381**

FIG. 1 is a perspective view of the seat showing the new design in a first embodiment.

(58) **Field of Classification Search** D6/334,

FIG. 2 is a top view thereof.

D6/349, 355, 359, 369, 370, 371, 381–383,

FIG. 3 is a front elevation view thereof.

D6/491, 492, 500–503; 297/94, 181, 233,

FIG. 4 is a perspective view of the seat showing the new design in an alternative embodiment.

297/234, 235, 283.2, 311, 351, 353, 354.1,

FIG. 5 is a top view thereof; and,

297/354.12, 354.13, 445.1, 451.1, 451.8,

FIG. 6 is a front elevation view thereof.

297/451.9; 5/12.1, 12.2

See application file for complete search history.


The broken lines shown in the drawings are understood to represent stitching.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D379,272 S * 5/1997 Natuzzi et al. D6/381
D474,912 S * 5/2003 Ricci D6/381

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6