



US00D614464S

(12) **United States Design Patent**
Wessel, IV

(10) **Patent No.:** **US D614,464 S**
(45) **Date of Patent:** **** Apr. 27, 2010**

(54) **ADAPTABLE SOCKET DRIVE APPARATUS**

(76) Inventor: **Homer A. Wessel, IV**, 148 Bilboa St.,
Royal Palm Beach, FL (US) 33411

(**) Term: **14 Years**

(21) Appl. No.: **29/321,283**

(22) Filed: **Jul. 14, 2008**

Related U.S. Application Data

(62) Division of application No. 12/172,670, filed on Jul.
14, 2008.

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/29**

(58) **Field of Classification Search** D8/21-29,
D8/81-87, 102-107, 98, 99, 55, 93, 94; 81/60-63.2,
81/177.1, 177.85, 177.8, 489, 125.1, 121.1,
81/119-120, 176.1, 186, 177.9, 185.1, 176.2,
81/165, 170, 3.35, 58, 3.345, 155; 206/378;
16/429, 441, 124.6; 7/100, 138, 168, 157
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,688,454	A *	8/1987	Scull	81/119
5,671,644	A *	9/1997	Anderson	81/119
6,161,982	A *	12/2000	Cole	403/97
6,769,334	B1 *	8/2004	Whitehead et al.	81/463
6,799,492	B2 *	10/2004	Pearson	81/58
6,805,029	B1 *	10/2004	Foster et al.	81/186
6,971,292	B2 *	12/2005	Hu	81/177.8
7,140,275	B1 *	11/2006	Staples	81/119
7,299,723	B1 *	11/2007	Wessel, IV	81/177.2

* cited by examiner

Primary Examiner—Raphael Barkai

Assistant Examiner—Randall H Gholson

(74) *Attorney, Agent, or Firm*—Gold & Rizvi, P.A.; Glenn E.
Gold; H. John Rizvi

(57) **CLAIM**

I claim the ornamental design for an adaptable socket drive
apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of my design for an
adaptable socket drive apparatus showing four points on the
female connector; connector adaptable socket drive appara-
tus;

FIG. 2 is a rear elevated view of FIG. 1, thereof;

FIG. 3 is a right elevated view of FIG. 1, thereof;

FIG. 4 is a front elevated view of FIG. 1, thereof;

FIG. 5 is a left elevated view of FIG. 1, thereof;

FIG. 6 is a top planar view of FIG. 1, thereof;

FIG. 7 is a bottom planar view of FIG. 1, thereof;

FIG. 8 is a second embodiment top, front perspective view of
my design for an adaptable socket drive apparatus showing
eight points on the female connector;

FIG. 9 is a rear elevated view of FIG. 8, thereof;

FIG. 10 is a right elevated view of FIG. 8, thereof;


FIG. 11 is a front elevated view of FIG. 8, thereof;

FIG. 12 is a left elevated view of FIG. 8, thereof;

FIG. 13 is a top planar view of FIG. 8, thereof; and,

FIG. 14 is a bottom planar view of FIG. 8, view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14