



US00D614472S

(12) **United States Design Patent**  
**Meyers et al.**

(10) **Patent No.:** **US D614,472 S**  
(45) **Date of Patent:** **\*\* Apr. 27, 2010**

(54) **HANDLE FOR ELECTRIC CRIMPER OR DECAPPER**

(75) Inventors: **Christopher J. Meyers**, Bridgeton, NJ (US); **Craig Platania**, Vineland, NJ (US)

(73) Assignee: **Wheaton Industries, Inc.**, Millville, NJ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/333,353**

(22) Filed: **Mar. 6, 2009**

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/107**

(58) **Field of Classification Search** ..... D8/20–29, D8/55, 61, 93, 98–100, 102–107, 300, 301, D8/303, 307, 310, 312, 319–320, 376–378, D8/400–499; D4/132–138; D7/393, 395, D7/401.1, 401.2, 649, 695; D22/104, 118, D22/207; D24/207; D6/524; D26/154; D9/443; 15/143.1, 159.1, 160, 168, 175, 15/194.1, 192; 81/177.1–177.9, 489, 3.2, 81/436, 439–440, 60–63.2, 477, 479, 52; 16/427, 422, 436, 110.1, 421, 430–431, 429, 16/441, 124.6, 414, 417, DIG. 12, DIG. 18, 16/DIG. 19; 73/862.23; 30/164.5, 151–162; 211/87.01; 428/28

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D269,588 S \* 7/1983 Ludwig ..... D8/107  
6,058,815 A \* 5/2000 Habermehl ..... 81/434  
6,076,330 A 6/2000 Thomas et al.

6,196,045 B1 3/2001 Thomas et al.  
D444,365 S \* 7/2001 Bass et al. .... D8/68  
6,477,919 B1 11/2002 Thomas et al.  
6,729,104 B2 5/2004 Marshall  
D514,413 S \* 2/2006 Cuenca et al. .... D8/68  
D524,135 S \* 7/2006 Happ et al. .... D8/68  
D582,741 S \* 12/2008 Wise ..... D8/68

\* cited by examiner

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Barbara Fox

(74) *Attorney, Agent, or Firm*—RatnerPrestia

(57) **CLAIM**

The ornamental design for a handle for electric crimper or decapper, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear elevation view of a handle for electric crimper or decapper according to the present invention;

FIG. 2 is a front elevation view of the handle for electric crimper or decapper shown in FIG. 1;

FIG. 3 is a left side view of the handle for electric crimper or decapper shown in FIG. 1;


FIG. 4 is a right side view of the handle for electric crimper or decapper shown in FIG. 1;

FIG. 5 is a top plan view of the handle for electric crimper or decapper shown in FIG. 1; and,

FIG. 6 is a bottom plan view of the handle for electric crimper or decapper shown in FIG. 1.

In the drawings, the broken lines indicate environmental structure that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6