



US00D614685S

(12) **United States Design Patent**
Moritz

(10) **Patent No.:** **US D614,685 S**

(45) **Date of Patent:** **** *Apr. 27, 2010**

(54) **EYEGLASS AND EYEGLASS FRONT**

(75) Inventor: **Hans Karsten Moritz**, Foothill Ranch,
CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/313,832**

(22) Filed: **Feb. 13, 2009**

(51) **LOC (9) Cl.** **16-06**

(52) **U.S. Cl.** **D16/321; D16/326**

(58) **Field of Classification Search** D16/101,
D16/300-342; D29/109-110; D24/110.2;
351/41, 44, 51-52, 62, 158, 92, 103-123,
351/140, 153, 45-46; 2/426-432, 447-449,
2/441, 434-437, 13, 15; D21/483, 659-661

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|-------------|--------|----------------|
| D378,375 S | 3/1997 | Tsai |
| 5,708,489 A | 1/1998 | Jannard |
| D398,326 S | 9/1998 | Jannard et al. |
| 5,805,261 A | 9/1998 | Houston et al. |
| D407,428 S | 3/1999 | Jannard et al. |
| D408,049 S | 4/1999 | Jannard et al. |
| D410,484 S | 6/1999 | Jannard et al. |
| D410,485 S | 6/1999 | Jannard et al. |

| | | | |
|--------------|---------|----------------|---------------|
| D415,188 S | 10/1999 | Thixton et al. | |
| D422,298 S | 4/2000 | Jannard et al. | |
| 6,056,399 A | 5/2000 | Jannard et al. | |
| 6,250,756 B1 | 6/2001 | Jannard et al. | |
| D464,669 S | 10/2002 | Thixton et al. | |
| D470,166 S | 2/2003 | Yee et al. | |
| D470,167 S * | 2/2003 | Jannard et al. | D16/326 |
| D473,583 S | 4/2003 | Thixton et al. | |
| D477,623 S | 7/2003 | Thixton et al. | |
| D519,148 S | 4/2006 | Wu | |
| D539,833 S | 4/2007 | Chuang | |
| 7,222,959 B2 | 5/2007 | Jannard | |
| D544,020 S | 6/2007 | Thixton et al. | |
| D564,568 S | 3/2008 | Moritz | |

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Gregory K. Nelson

(57) **CLAIM**

The ornamental design for an eyeglass and eyeglass front, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the eyeglass and eyeglass front of the present invention;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

