



US00D615032S

(12) **United States Design Patent**
Pinto(10) **Patent No.:** **US D615,032 S**
(45) **Date of Patent:** ** **May 4, 2010**(54) **VEHICLE TRACTION MAT**(76) Inventor: **Arnold W. Pinto**, 7612 E. 82nd Ave.,
Buhler, KS (US) 67522(**) Term: **14 Years**(21) Appl. No.: **29/348,414**(22) Filed: **Dec. 30, 2009**(51) LOC (9) Cl. **12-15**(52) U.S. Cl. **D12/608**(58) **Field of Classification Search** D12/608,
D12/217, 203; D6/582; 238/14; 248/352;
152/208, 213 R; 254/88

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D196,773 S * 10/1963 Carter D12/217

(Continued)

Primary Examiner—Stacia Cadmus(74) *Attorney, Agent, or Firm*—R. Keith Harrison(57) **CLAIM**

The ornamental design for a vehicle traction mat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the vehicle traction mat;

FIG. 2 is a top view of the first embodiment of the vehicle traction mat;

FIG. 3 is a bottom view of the first embodiment of the vehicle traction mat;

FIG. 4 is a left side view of the first embodiment of the vehicle traction mat; and

FIG. 5 is a right side view of the first embodiment of the vehicle traction mat;

FIG. 6 is a front view of the first embodiment of the vehicle traction mat;

FIG. 7 is a rear view of the first embodiment of the vehicle traction mat;

FIG. 8 is a perspective view of an automobile having a rear wheel, with the first embodiment of the vehicle traction mat positioned in front of the rear wheel in an exemplary application and which automobile and automobile wheels are shown in dashed lines and do not form a part of the claimed design;

FIG. 9 is a perspective view of a second embodiment of the vehicle traction mat;

FIG. 10 is a top view of the second embodiment of the vehicle traction mat;

FIG. 11 is a bottom view of the second embodiment of the vehicle traction mat;

FIG. 12 is a left side view of the second embodiment of the vehicle traction mat; and


FIG. 13 is a right side view of the second embodiment of the vehicle traction mat;

FIG. 14 is a front view of the second embodiment of the vehicle traction mat;

FIG. 15 is a rear view of the second embodiment of the vehicle traction mat; and,

FIG. 16 is a perspective view of an automobile having a rear wheel, with the second embodiment of the vehicle traction mat positioned in front of the rear wheel in an exemplary application and which automobile and automobile wheels are shown in dashed lines and do not form a part of the claimed design.

The drawings of the disclosure illustrate an automobile having a rear automobile wheel each shown in dashed lines and not forming a part of the claimed design. The vehicle traction mat includes portions which are illustrated in dashed lines and do not form a part of the claimed design.

1 Claim, 8 Drawing Sheets

US D615,032 S

Page 2

U.S. PATENT DOCUMENTS

D200,688 S * 3/1965 Miles D12/217
D315,326 S 3/1991 Pinto
D348,240 S * 6/1994 Chiang D12/608
D355,321 S * 2/1995 Giles D6/582
5,439,171 A * 8/1995 Fruend 238/14
D364,837 S * 12/1995 Hargrove D12/608

5,538,183 A * 7/1996 McGee 238/14
D392,924 S * 3/1998 Shleymovich D12/608
D450,645 S * 11/2001 Love D12/203
D464,304 S * 10/2002 Wright D12/203
6,779,738 B1 * 8/2004 Stannard 238/14
7,350,719 B1 * 4/2008 Brenner 238/14

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14



FIG. 15




FIG. 16