



US00D615111S

(12) **United States Design Patent**  
**Forbis et al.**

(10) **Patent No.:** **US D615,111 S**  
(45) **Date of Patent:** **\*\* May 4, 2010**

(54) **OIL DRAIN CONTAINER**

(75) Inventors: **Charlie L. Forbis**, Quapaw, OK (US);  
**Vondie L. Fletcher**, Miami, OK (US);  
**Mark H. Bennett**, Miami, OK (US)

(73) Assignee: **Blitz U.S.A., Inc.**, Miami, OK (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/278,602**

(22) Filed: **Apr. 3, 2007**

(51) **LOC (9) Cl.** ..... **15-09**

(52) **U.S. Cl.** ..... **D15/150**

(58) **Field of Classification Search** ..... D7/376,  
D7/377, 386; D15/150, 151, 152; 141/98,  
141/330, 331, 332, 339; 184/106; 206/223;  
220/1 C

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,239,032	A	12/1980	Irving	
4,488,584	A	12/1984	Hestehave et al.	
4,673,081	A *	6/1987	Habig et al.	206/223
RE32,458	E	7/1987	DeLay, Jr.	

(Continued)

*Primary Examiner*—Sandra Snapp

*Assistant Examiner*—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Hovey Williams LLP

(57) **CLAIM**

The ornamental design for an oil drain container, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of an oil drain container embodying our design, with the cover, the finger-receiving

recess defined at one end of the base for the cover latch, the tethered cap on the pour opening at the opposite end of the base, the recessed handle areas along the lower margin of the base sidewall, and the hinge components, ridge extending between the hinge components, boss, tethered vent cap, and arcuate corrugations on the base top being shown in broken lines for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is a top perspective view of the oil drain container from an angle opposite that shown in FIG. 1;

FIG. 3 is a bottom perspective view of the oil drain container shown in FIGS. 1 and 2, with the recesses defined in the bottom wall of the base being shown in broken lines for illustrative purposes only and forming no part of the claimed design;

FIG. 4 is bottom perspective view of the oil drain container from an angle opposite that shown in FIG. 3;

FIG. 5 is a top plan view of the oil drain container depicted in FIGS. 1–4;

FIG. 6 is a side elevation view of the oil drain container shown in FIGS. 1–5;

FIG. 7 is a bottom plan view of the oil drain container shown in FIGS. 1–6;


FIG. 8 is a side elevation view of the oil drain container opposite that shown in FIG. 6;

FIG. 9 is an end elevation view of the oil drain container depicted in FIGS. 1–8;

FIG. 10 is an end elevation view of the oil drain container opposite that shown in FIG. 9; and,

FIG. 11 is a perspective view of the oil drain container similar to that shown in FIG. 1, but depicting the cover swung to an open position, with the recessed drain area in the base, the latch component on the base, the oil can retaining ribs in the recessed drain area, and the central plug in the drain area being shown in broken lines for illustrative purposes only and forming no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



# US D615,111 S

Page 2

---

## U.S. PATENT DOCUMENTS

4,823,947 A	4/1989	Maynard, Jr.		
D351,394 S *	10/1994	Morris	.....	D15/152
D353,151 S *	12/1994	Poirier	.....	D15/150
5,503,246 A	4/1996	Raboin et al.		
D399,224 S *	10/1998	Maynard	.....	D15/150
5,908,551 A	6/1999	Onken		
D418,150 S *	12/1999	Maynard	.....	D15/150
D520,367 S	5/2006	Morris		

\* cited by examiner




FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 8




FIG. 7






FIG. 10




FIG. 9

FIG. 11

