



US00D615145S

(12) **United States Design Patent**
Herald

(10) **Patent No.:** **US D615,145 S**

(45) **Date of Patent:** **** *May 4, 2010**

(54) **HILT GUARD**

(75) Inventor: **Thomas C. Herald**, Syracuse, IN (US)

(73) Assignee: **Director's Showcase International**,
Ligonier, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/338,534**

(22) Filed: **Jun. 12, 2009**

(51) **LOC (9) Cl.** **22-02**

(52) **U.S. Cl.** **D22/118**

(58) **Field of Classification Search** D22/118,
D22/117, 199; 30/294, 295, 340; D3/220;
D8/DIG. 4; 42/53

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

35,292	A	*	5/1862	Bogia	30/340
D22,008	S	*	11/1892	Wixon	D22/118
1,260,007	A	*	3/1918	Maluf	30/295
D55,498	S	*	6/1920	Woodbury	D22/118
D192,338	S	*	3/1962	Farber	D8/DIG. 4

OTHER PUBLICATIONS

"Hilt," [online], undated, [retrieved Dec. 24, 2009]. Retrieved from the Internet: <http://en.wikipedia.org/wiki/Hilt>.

"Hilt Guard Protects Spanish-Style Sabres," 2009/2010 online catalog, © 2009, [retrieved Dec. 24, 2009]. Retrieved from the Internet: <http://www.dshowcase.com/>.

Webpage showing exploded view of Spanish-Style Sabres for sale c. 2005, [retrieved Apr. 24, 2009]. Retrieved from the Internet: <http://www.directorsshowcase.com/media/catalog/product/cache/1/image/5e06319eda09f020e43594a9c230972d>.

Director's Showcase Sourcebook Jun. 2005, 2 pages.

Director's Showcase International Webpage showing item for sale, © 2009, [retrieved Feb. 3, 2010]. Retrieved from the Internet: <http://www.dshowcase.com/whats-new/hilt-guard.html?SID=ab8ab4b2e6d0bbf345c9be5fd923c91f>.

* cited by examiner

Primary Examiner—Catherine R Oliver

(74) *Attorney, Agent, or Firm*—William F. Bahret

(57) **CLAIM**

The ornamental design for a hilt guard, as shown and described.

DESCRIPTION

FIG. 1 is a left, rear perspective view of a hilt guard showing my new design installed on the basket hilt of a sabre.

FIG. 2 is a left, rear perspective view of the hilt guard of FIG. 1 in a partially curled, uninstalled state.

FIG. 3 is a front view of the hilt guard of FIG. 2.

FIG. 4 is a rear view thereof.

FIG. 5 is a left side view thereof.

FIG. 6 is a right side view thereof.

FIG. 7 is a top view thereof.

FIG. 8 is a bottom view thereof.

FIG. 9 is a left, rear perspective view of a second embodiment of a hilt guard showing my new design installed on the basket hilt of a sabre, the second embodiment being translucent or transparent as indicated by shading in FIGS. 9–16.

FIG. 10 is a left, rear perspective view of the hilt guard of FIG. 9 in a partially curled, uninstalled state.

FIG. 11 is a front view of the hilt guard of FIG. 10.

FIG. 12 is a rear view thereof.

FIG. 13 is a left side view thereof


FIG. 14 is a right side view thereof.

FIG. 15 is a top view thereof; and,

FIG. 16 is a bottom view thereof.

The blade and hilt portions shown in broken lines in FIGS. 1 and 9 illustrate environmental structure and form no part of the claimed design.

1 Claim, 12 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16