



US00D615198S

(12) **United States Design Patent**
Mao et al.

(10) **Patent No.:** **US D615,198 S**
(45) **Date of Patent:** **** May 4, 2010**

(54) **PORTION OF NERVE ROOT RETRACTOR
WITH SENSOR**

(75) Inventors: **Jimmy Jian-min Mao**, Fremont, CA
(US); **Robert E. Lash**, Redwood City,
CA (US)

(73) Assignee: **ViOptix Inc.**, Fremont, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/320,923**

(22) Filed: **Jul. 8, 2008**

Related U.S. Application Data

(60) Division of application No. 29/284,438, filed on Sep.
7, 2007, now Pat. No. Des. 574,493, which is a con-
tinuation-in-part of application No. 29/281,422, filed
on Jun. 22, 2007, now Pat. No. Des. 582,034.

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/135**

(58) **Field of Classification Search** D24/133,
D24/135, 140, 147; 600/201, 202, 210, 227,
600/212, 215, 206, 245, 226, 235; 606/160,
606/84

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,394,700	A	7/1968	Yamamoto	
4,049,000	A	9/1977	Williams	
4,190,042	A	2/1980	Sinnreich	
4,226,228	A *	10/1980	Shin et al.	600/206
D275,227	S	8/1984	Garner, Jr.	
4,597,382	A	7/1986	Perez, Jr.	
4,738,248	A	4/1988	Ray	
4,883,426	A *	11/1989	Ferrer	433/91
4,919,616	A	4/1990	Croll	
4,959,067	A	9/1990	Muller	
D312,306	S	11/1990	Michelson	
D318,116	S	7/1991	Michelson	
5,123,403	A	6/1992	Lavyne	

5,520,611	A	5/1996	Rao et al.	
5,769,781	A *	6/1998	Chappuis	600/202
5,803,904	A	9/1998	Mehdizadeh	
5,891,018	A	4/1999	Wells	
D411,883	S *	7/1999	Farascioni et al.	D24/135
D430,668	S	9/2000	Koros et al.	
D433,134	S	10/2000	Pitesky	
D442,687	S	5/2001	Schulz	
D443,056	S	5/2001	Koros et al.	
D453,377	S	2/2002	Schollhorn et al.	
D457,957	S	5/2002	Sanford et al.	
6,416,465	B2	7/2002	Brau	
6,860,850	B2 *	3/2005	Phillips et al.	600/227
6,875,173	B2	4/2005	Suddaby	
D510,768	S	10/2005	Farley	
6,994,548	B2	2/2006	Perret, Jr.	
7,226,413	B2	6/2007	McKinley	
D574,493	S *	8/2008	Lash et al.	D24/135
D575,398	S *	8/2008	Lash et al.	D24/135
D578,647	S *	10/2008	Lash et al.	D24/135
D582,034	S *	12/2008	Lash et al.	D24/135
D593,201	S *	5/2009	Lash et al.	D24/135
D603,046	S *	10/2009	Frey	D24/146
2004/0193018	A1 *	9/2004	Thalgott et al.	600/227

OTHER PUBLICATIONS

Nerve Root Retractors, Codman Surgical Product Catalog 380-385
(2004).

* cited by examiner

Primary Examiner—Charles A. Rademaker

Assistant Examiner—Charles D Hanson

(74) *Attorney, Agent, or Firm*—Aka Chan LLP

(57) **CLAIM**

The ornamental design for a portion of a nerve root retractor
with sensor, as shown and described.

DESCRIPTION

FIG. 1 shows a perspective view of a first embodiment of a
design for a portion of a nerve root retractor with sensor.

FIG. 2 shows a right side view of the first embodiment.

FIG. 3 shows a left side view of the first embodiment.

FIG. 4 shows a top view of the first embodiment.




FIG. 5 shows a front view of the first embodiment.

FIG. 6 shows a bottom view of the first embodiment.

FIG. 7 shows a bottom view of a second embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 8 shows a bottom view of a third embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 9 shows a bottom view of a fourth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 10 shows a bottom view of a fifth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 11 shows a bottom view of a sixth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 12 shows a bottom view of a seventh embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 13 shows a bottom view of an eighth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 14 shows a bottom view of a ninth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 15 shows a bottom view of a tenth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 16 shows a bottom view of an eleventh embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 17 shows a bottom view of a twelfth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 18 shows a bottom view of a thirteenth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 19 shows a bottom view of a fourteenth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 20 shows a bottom view of a fifteenth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 21 shows a bottom view of a sixteenth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 22 shows a bottom view of a seventeenth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 23 shows a bottom view of an eighteenth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 24 shows a bottom view of a nineteenth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 25 shows a bottom view of a twentieth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 26 shows a bottom view of a twenty-first embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 27 shows a bottom view of a twenty-second embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.


FIG. 28 shows a bottom view of a twenty-third embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

FIG. 29 shows a bottom view of a twenty-fourth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5; and,

FIG. 30 shows a bottom view of a twenty-fifth embodiment of the design. Other views for this embodiment are the same as shown in FIGS. 1–5.

The broken-line features in the figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30

