



US00D615226S

(12) **United States Design Patent**
Levine

(10) **Patent No.:** **US D615,226 S**

(45) **Date of Patent:** **** May 4, 2010**

(54) **LIGHTING DEVICE**

(76) **Inventor:** **Jonathan E. Levine**, 419 Park Ave.
South, Suite 505, New York, NY (US)
10016

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/337,465**

(22) **Filed:** **May 21, 2009**

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.** **D26/44**

(58) **Field of Classification Search** D26/37,
D26/38, 39, 42-44, 46, 60, 65; 362/103,
362/105-108, 157, 158, 184, 187, 196-200,
362/207, 208

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|-----------------|---------|
| D206,391 S | 12/1966 | Lax | |
| 3,786,245 A | 1/1974 | Cincotta et al. | |
| D241,972 S | 10/1976 | Nau | |
| 4,268,894 A | 5/1981 | Bartunek et al. | |
| D366,337 S * | 1/1996 | Yuen | D26/44 |
| D397,478 S * | 8/1998 | Booty, Jr. | D26/65 |
| D408,567 S | 4/1999 | Coe | |
| D414,574 S * | 9/1999 | Chen | D26/37 |
| 6,022,119 A | 2/2000 | Booty, Jr. | |
| D435,677 S | 12/2000 | Hollinger | |
| D439,688 S * | 3/2001 | Suzuki | D26/37 |
| 6,619,813 B1 | 9/2003 | Schnell | |
| D497,216 S | 10/2004 | Lee | |
| D518,584 S * | 4/2006 | Chan | D26/37 |
| D523,839 S * | 6/2006 | Li | D14/168 |
| D524,474 S * | 7/2006 | Lo et al. | D26/60 |
| D524,962 S * | 7/2006 | Farmer | D26/37 |
| D526,433 S * | 8/2006 | Li | D26/60 |
| D536,813 S * | 2/2007 | Yuen | D26/38 |
| D542,455 S | 5/2007 | Newcomb | |
| D543,304 S | 5/2007 | Chan | |

(Continued)

OTHER PUBLICATIONS

“Fulcrum 113311-301 Flyweight Travel Booklight,” <http://www.amazon.com/Fulcrum-113311-301-Flyweight-Travel-Booklight/dp/B0006IN7XC>. visited Aug. 17, 2007, 1 page.

Primary Examiner—Ian Simmons

Assistant Examiner—Carissa C Fitts

(74) *Attorney, Agent, or Firm*—Theodore W. Baker

(57) **CLAIM**

I claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting device showing my new design, as viewed from the top and one side.

FIG. 2 is a first side elevation view of the lighting device of FIG. 1, the opposite side being a mirror image thereof.

FIG. 3 is a top plan view of the lighting device of FIG. 1.

FIG. 4 is a front elevation view of the lighting device of FIG. 1.



FIG. 5 is a back elevation view of the lighting device of FIG. 1.

FIG. 6 is a bottom plan view of the lighting device of FIG. 1; and,

FIG. 7 is a perspective view of the lighting device of FIG. 1 with the front light head and its associated support arms, and the back light head shown in a slightly rotated position.

The details shown in broken lines illustrate portions of the lighting device that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D615,226 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | | |
|--------------|--------|----------------|-------|--------------|---------|------------------|-------|---------------------|
| D563,013 S | 2/2008 | Levine | | D580,077 S * | 11/2008 | Sham | | D26/37 |
| D571,941 S * | 6/2008 | Lee | | D585,578 S | 1/2009 | Levine | | |
| D574,527 S * | 8/2008 | Squires et al. | | D589,186 S * | 3/2009 | Coushaine et al. | | D26/37 |
| | | | | D600,378 S * | 9/2009 | Choi | | D26/37 |
| | | | | | | | | * cited by examiner |

FIG. 1





FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7