



US00D615226S

(12) **United States Design Patent**
Levine

(10) **Patent No.:** **US D615,226 S**
(45) **Date of Patent:** **** May 4, 2010**

(54) **LIGHTING DEVICE**

(76) **Inventor:** **Jonathan E. Levine**, 419 Park Ave.
South, Suite 505, New York, NY (US)
10016

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/337,465**

(22) **Filed:** **May 21, 2009**

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.** **D26/44**

(58) **Field of Classification Search** D26/37,
D26/38, 39, 42-44, 46, 60, 65; 362/103,
362/105-108, 157, 158, 184, 187, 196-200,
362/207, 208

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D206,391	S	12/1966	Lax	
3,786,245	A	1/1974	Cincotta et al.	
D241,972	S	10/1976	Nau	
4,268,894	A	5/1981	Bartunek et al.	
D366,337	S *	1/1996	Yuen	D26/44
D397,478	S *	8/1998	Booty, Jr.	D26/65
D408,567	S	4/1999	Coe	
D414,574	S *	9/1999	Chen	D26/37
6,022,119	A	2/2000	Booty, Jr.	
D435,677	S	12/2000	Hollinger	
D439,688	S *	3/2001	Suzuki	D26/37
6,619,813	B1	9/2003	Schnell	
D497,216	S	10/2004	Lee	
D518,584	S *	4/2006	Chan	D26/37
D523,839	S *	6/2006	Li	D14/168
D524,474	S *	7/2006	Lo et al.	D26/60
D524,962	S *	7/2006	Farmer	D26/37
D526,433	S *	8/2006	Li	D26/60
D536,813	S *	2/2007	Yuen	D26/38
D542,455	S	5/2007	Newcomb	
D543,304	S	5/2007	Chan	

(Continued)

OTHER PUBLICATIONS

“Fulcrum 113311-301 Flyweight Travel Booklight,” <http://www.amazon.com/Fulcrum-113311-301-Flyweight-Travel-Booklight/dp/B0006IN7XC>. visited Aug. 17, 2007, 1 page.

Primary Examiner—Ian Simmons

Assistant Examiner—Carissa C Fitts

(74) *Attorney, Agent, or Firm*—Theodore W. Baker

(57) **CLAIM**

I claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting device showing my new design, as viewed from the top and one side.

FIG. 2 is a first side elevation view of the lighting device of FIG. 1, the opposite side being a mirror image thereof.

FIG. 3 is a top plan view of the lighting device of FIG. 1.

FIG. 4 is a front elevation view of the lighting device of FIG. 1.



FIG. 5 is a back elevation view of the lighting device of FIG. 1.

FIG. 6 is a bottom plan view of the lighting device of FIG. 1; and,

FIG. 7 is a perspective view of the lighting device of FIG. 1 with the front light head and its associated support arms, and the back light head shown in a slightly rotated position.

The details shown in broken lines illustrate portions of the lighting device that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D615,226 S

Page 2

U.S. PATENT DOCUMENTS

D563,013 S	2/2008	Levine		D580,077 S *	11/2008	Sham	D26/37
D571,941 S *	6/2008	Lee	D585,578 S	1/2009	Levine		
D574,527 S *	8/2008	Squires et al.	D589,186 S *	3/2009	Coushaine et al.	D26/37
				D600,378 S *	9/2009	Choi	D26/37
								* cited by examiner

FIG. 1





FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7