

US00D615236S

(12) **United States Design Patent**
Beghelli

(10) **Patent No.:** **US D615,236 S**
(45) **Date of Patent:** **** May 4, 2010**

(54) **EMBEDDED LIGHTING DEVICE**

(75) Inventor: **Gian Pietro Beghelli**, Montevoglio (IT)

(73) Assignee: **Beghelli S.p.A.**, Montevoglio, Bologna (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/308,870**

(22) Filed: **Jul. 11, 2008**

(30) **Foreign Application Priority Data**

Apr. 30, 2008 (EM) 927199-0002

(51) **LOC (9) Cl.** **26-05**

(52) **U.S. Cl.** **D26/74**

(58) **Field of Classification Search** D26/24-28,
D26/37, 63, 67-68, 72, 74-78, 80, 85, 88,
D26/89, 104, 108, 118, 120-122; 362/17,
362/132, 145, 147-150, 157, 217-225, 228,
362/260, 262-264, 267, 294, 310, 345, 364,
362/249, 365, 368, 432, 440; D10/111, 114
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D102,293 S * 12/1936 Smith D10/111
D120,549 S * 5/1940 Hoggart, Jr. D10/111
3,346,775 A * 10/1967 Christiansen 361/738
D210,330 S * 2/1968 Brady et al. D10/111
D212,897 S * 12/1968 Morgan et al. D26/2
D218,579 S * 9/1970 Kahn D10/114

D392,908 S * 3/1998 Anwyl-Davies D10/114
6,793,368 B2 * 9/2004 Ladstatter 362/217
D526,972 S * 8/2006 Egawa et al. D13/180
D539,945 S * 4/2007 Egawa et al. D26/24
D552,566 S * 10/2007 Moriyama D13/182
D565,753 S * 4/2008 Uemoto et al. D26/24
D565,756 S * 4/2008 Uemoto et al. D26/24

* cited by examiner

Primary Examiner—Philip S Hyder
Assistant Examiner—Susan E Krakower

(57) **CLAIM**

The ornamental design for an embedded lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the lighting equipment according to the present invention;

FIG. 2 is a frontal view of the lighting equipment according to the present invention;


FIG. 3 is a side view of the lighting equipment according to the present invention which is the mirror image of the opposite side view of the present invention;

FIG. 4 is a top view of the lighting equipment according to the present invention which is the mirror image of the bottom view of the present invention; and,

FIG. 5 is a rear view of the lighting equipment of the present invention.

The broken lines illustrate portions of the embedded lighting device which form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5