



US00D615493S

(12) **United States Design Patent**
Kalis

(10) **Patent No.:** **US D615,493 S**

(45) **Date of Patent:** **** May 11, 2010**

(54) **BATTERY CONTACT**

(75) Inventor: **Robert M. Kalis**, Overland Park, KS
(US)

(73) Assignee: **Garmin Ltd.** (KY)

(**) Term: **14 Years**

(21) Appl. No.: **29/340,757**

(22) Filed: **Jul. 24, 2009**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/120; D13/154**

(58) **Field of Classification Search** D14/118-121,
D14/133, 146-149, 154, 184, 199; 439/83,
439/108, 166, 500, 577, 607-610, 630, 650,
439/660, 680, 700, 732, 773.1, 844-845,
439/849-850, 862, 865-867, 870, 872, 877,
439/884-885, 887-891, 907

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D118,923	S	*	2/1940	Williams	D13/133
D312,617	S	*	12/1990	Makita et al.	D13/154
D398,218	S	*	9/1998	Coll et al.	D8/356
D409,143	S	*	5/1999	Yoshiura	D13/133
D434,375	S	*	11/2000	Kawamoto	D13/133
6,162,103	A	*	12/2000	Ono	439/824
6,293,833	B1	*	9/2001	Kamath	439/851
6,551,149	B2	*	4/2003	Orihara	439/862
D483,330	S	*	12/2003	Chen	D13/133
6,805,595	B2	*	10/2004	Kukita et al.	439/862
D550,626	S	*	9/2007	Osborn et al.	D13/133
D553,082	S	*	10/2007	Peng	D13/133
D555,093	S	*	11/2007	Chien et al.	D13/133
D555,095	S	*	11/2007	Ho	D13/133

D567,181	S	*	4/2008	Wu	D13/133
D569,343	S	*	5/2008	Hung et al.	D13/133
D569,801	S	*	5/2008	Chuang	D13/133
D569,802	S	*	5/2008	Long et al.	D13/133
D572,190	S	*	7/2008	Chen et al.	D13/120
D572,191	S	*	7/2008	Chen et al.	D13/120
D582,348	S	*	12/2008	Shiu	D13/154
D601,970	S	*	10/2009	Peng et al.	D13/154

OTHER PUBLICATIONS

Duracell Battery Contact Guide, published prior to Jul. 24, 2009.
Garmin battery contact, publicly displayed Jan. 2008.

* cited by examiner

Primary Examiner—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—Samuel M. Korte

(57) **CLAIM**

The ornamental design for a battery contact, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a battery contact according to embodiments of the present invention;

FIG. 2 is a rear perspective view of the battery contact;

FIG. 3 is a top view of the battery contact;

FIG. 4 is a left side view of the battery contact;

FIG. 5 is a bottom view of the battery contact;



FIG. 6 is a right side view of the battery contact;

FIG. 7 is a front view of the battery contact; and,

FIG. 8 is a rear view of the battery contact.

The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8