



US00D615587S

(12) **United States Design Patent**  
**Wang**

(10) **Patent No.:** **US D615,587 S**

(45) **Date of Patent:** **\*\* May 11, 2010**

(54) **USB RECHARGEABLE LIGHT WITH PEN  
AND USB FLASH DRIVE**

(75) Inventor: **Wei Wang**, Burnaby (CA)

(73) Assignee: **Best-Supplier International Inc.**,  
Burnaby, BC (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/321,951**

(22) Filed: **Jul. 25, 2008**

(51) **LOC (9) Cl.** ..... **19-06**

(52) **U.S. Cl.** ..... **D19/36; D26/38**

(58) **Field of Classification Search** ..... D14/411,  
D14/431; D19/35, 36, 41, 42, 43, 44, 45,  
D19/46, 47, 48, 49, 50, 51, 52, 53, 54, 55,  
D19/56, 57; D26/38; 24/11 F, 11 P, 11 R;  
362/118; 401/6, 52, 99, 100, 104, 105, 106,  
401/107, 108, 109, 192, 195, 243, 244, 245,  
401/246, 247; 708/107

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,491,634	A *	4/1924	Ringquist	.....	401/30
D179,706	S *	2/1957	Schwartz	.....	D19/36
2,964,614	A *	12/1960	Buschle	.....	362/118
D352,958	S *	11/1994	Thompson	.....	D19/36
D406,276	S *	3/1999	Alvarado et al.	.....	D19/36
D472,240	S *	3/2003	Seog	.....	D14/411
D500,790	S *	1/2005	Jaakkola	.....	D19/43
D502,216	S *	2/2005	Chen	.....	D19/36
7,029,193	B1 *	4/2006	Chao	.....	401/195
D545,896	S *	7/2007	Qiu	.....	D19/36

D547,374	S *	7/2007	Deng	.....	D19/36
D549,229	S *	8/2007	Chiang	.....	D14/411
7,311,460	B2 *	12/2007	Yu	.....	401/195
D562,384	S *	2/2008	Qiu	.....	D19/36
D574,381	S *	8/2008	Chan	.....	D14/431
2007/0231053	A1 *	10/2007	Chan	.....	401/195

\* cited by examiner

*Primary Examiner*—Elizabeth A Albert

*Assistant Examiner*—Karen E Eldridge Powers

(57) **CLAIM**

The ornamental design for a USB rechargeable light with pen and USB flash drive, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a USB rechargeable light with pen and USB flash drive showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is another rear perspective view thereof;

FIG. 4 is another front perspective view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a right side elevational view thereof;


FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a rear elevational view thereof when the USB connector protrudes; and,

FIG. 12 is a front elevational view thereof when the USB connector protrudes.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8



*FIG. 9*



*FIG. 10*




FIG. 11




FIG. 12