



US00D615697S

(12) **United States Design Patent**  
**Otero**

(10) **Patent No.:** **US D615,697 S**

(45) **Date of Patent:** **\*\* May 11, 2010**

(54) **LIGHTING FIXTURE**

2,906,864 A 9/1959 Boutelle ..... 362/354

(75) Inventor: **Federico Otero**, Lima (PE)

(73) Assignee: **Boyd Lighting Fixture Company**, San Francisco, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/342,392**

(22) Filed: **Aug. 24, 2009**

(51) **LOC (9) Cl.** ..... **26-99**

(52) **U.S. Cl.** ..... **D26/129**

(58) **Field of Classification Search** ..... D26/2,  
D26/142, 134, 129, 124, 118, 128, 113, 121,  
D26/125, 131, 130, 60, 61, 138, 93, 102,  
D26/103, 106, 107, 110, 147, 153, 149, 141,  
D26/145, 155, 24, 63, 120, 122, 123, 65,  
D26/88; D8/396; 362/294, 98, 641, 257,  
362/269, 270, 277, 279, 285, 341, 347, 350,  
362/351, 363, 395, 410; D11/210, 222, 227,  
D11/7, 8, 15, 17, 18, 20, 21, 22, 23, 37, 38,  
D11/43, 76, 79, 96; D25/106, 110, 120,  
D25/145, 147, 158; D5/2, 11, 12, 55  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D5,840 S	5/1872	Ingalls	.....	D25/58
D40,388 S	12/1909	Lightbody	.....	D25/58
D104,383 S	5/1937	Sibbert	.....	D26/121
D107,554 S *	12/1937	Sibbert	.....	D26/121
D108,644 S *	3/1938	Holmes	.....	D26/121
D111,214 S *	9/1938	Petzold	.....	D26/121
D129,135 S	8/1941	Vacha	.....	D26/121
2,298,556 A *	10/1942	Foss et al.	.....	362/343
2,299,256 A	10/1942	Schultz	.....	D26/121
D142,960 S	11/1945	Lee	.....	D26/121
D161,340 S *	12/1950	Hurley	.....	D26/121
D167,816 S	9/1952	Steeber	.....	D26/85
D174,373 S	4/1955	Bell	.....	D25/58

(Continued)

**OTHER PUBLICATIONS**

Catacaos Room Divider, designed Federico Otero, 4-pages, 2005.

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—Heslin Rothenberg Farley & Mesiti P.C.

(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a lighting fixture in accordance with the new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is an enlarged view of the center portion of the lighting fixture of FIG. 1;


FIG. 4 is a cross-sectional view taken along lines 4—4 of FIG. 3;

FIG. 5 is a right side elevational view thereof, a left side elevational view being a mirror image thereof; and,

FIG. 6 is a top view thereof, a bottom view being a mirror image thereof.

The broken lines in the figures represent circular elements identical to those circular elements shown in FIG. 3, but with slight variations in overall size, and are shown more simply for ease of illustration. All other broken lines show environmental structure. None of the broken lines form part of the claimed design.

**1 Claim, 5 Drawing Sheets**




# US D615,697 S

Page 2


## U.S. PATENT DOCUMENTS

2,937,265	A	5/1960	Blitzer	362/356	D352,798	S	11/1994	Her	D26/82
D199,524	S	11/1964	Keller	D13/1	D394,521	S	* 5/1998	Caya	D26/119
3,210,535	A	10/1965	Fuchs	362/255	D411,634	S	6/1999	Connelly	D26/24
3,313,932	A	4/1967	Deaton	362/354	D444,903	S	* 7/2001	Wang	D26/85
D215,171	S	* 9/1969	Meltzer	D26/88	6,283,613	B1	* 9/2001	Schaffer	362/245
D215,558	S	10/1969	Schwartz et al.	D48/16	D459,525	S	6/2002	Barry	D26/88
D215,585	S	10/1969	Bogan, Jr.	D13/1	D499,046	S	* 11/2004	Pinto et al.	D11/79
D233,468	S	10/1974	Shemitz	D48/23 A	7,281,820	B2	* 10/2007	Bayat et al.	362/245
D233,553	S	11/1974	Seery	D54/2 T	D558,386	S	12/2007	Bickler et al.	D26/89
D246,636	S	* 12/1977	Cone	D11/89	D566,878	S	4/2008	Duffy et al.	D26/85
D249,385	S	* 9/1978	Delphia	D26/121	D580,585	S	11/2008	Otero	D26/88
4,621,310	A	11/1986	Keating	362/344	D583,502	S	* 12/2008	Schuler	D26/121
4,999,757	A	* 3/1991	Poppenheimer	362/287	D584,849	S	1/2009	Otero	D26/88
					D589,201	S	* 3/2009	Sabernig	D26/85

\* cited by examiner




**FIG. 1**



**FIG. 2**







**FIG. 3**



**FIG. 4**



**FIG. 5**



***FIG. 6***