



US00D615750S

(12) **United States Design Patent**
Jones et al.

(10) **Patent No.:** **US D615,750 S**
(45) **Date of Patent:** **** May 18, 2010**

(54) **CHILD CARRIER**

(75) Inventors: **DeNai Jones**, Ventura, CA (US);
Melinda Suzanne Kroener Ehret,
Oxnard, CA (US); **Geoffrey E.**
Rittmeyer, Ojai, CA (US)

(73) Assignee: **Petunia Pickle Bottom**, Ventura, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/343,422**

(22) Filed: **Sep. 11, 2009**

(51) **LOC (9) Cl.** **03-99**

(52) **U.S. Cl.** **D3/214; D3/213**

(58) **Field of Classification Search** D3/213-215;
D6/354; 224/155, 158, 159, 160, 161, 157,
224/264, 907; 446/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,841,543	A	10/1974	Bolton	
4,941,604	A	7/1990	Nagareda	
5,490,620	A *	2/1996	Bergqvist	224/160
5,732,861	A	3/1998	Jakobson	
D409,373	S *	5/1999	Fair et al.	D3/213
6,095,614	A	8/2000	Canna et al.	
D437,996	S *	2/2001	Fair et al.	D3/214
D452,993	S *	1/2002	Norman	D3/214
D453,066	S *	1/2002	Norman	D3/214
D455,546	S *	4/2002	Norman	D3/214
6,598,771	B2 *	7/2003	Norman	224/160
6,736,299	B2	5/2004	Bergqvist	
6,763,983	B2 *	7/2004	Norman	224/160
D507,102	S *	7/2005	Bergqvist et al.	D3/214
6,988,644	B1 *	1/2006	Asherbranner	224/160

7,007,353	B2	3/2006	Bergqvist	
7,070,076	B2	7/2006	Bergqvist	
7,284,503	B2	10/2007	Elmberg	
7,287,676	B2 *	10/2007	Chua	224/160
7,343,880	B2	3/2008	Bergqvist	
D567,499	S	4/2008	Elmberg et al.	
7,574,750	B2 *	8/2009	Harris	2/80
2001/0030210	A1	10/2001	Donine	
2003/0150891	A1	8/2003	Sclafani	
2006/0048722	A1	3/2006	Elmberg	
2007/0241146	A1	10/2007	Nyberg et al.	
2007/0241147	A1	10/2007	Nyberg et al.	
2009/0114691	A1	5/2009	Bizzell et al.	

FOREIGN PATENT DOCUMENTS

JP 2005052584 3/2005

* cited by examiner

Primary Examiner—Celia A Murphy

(74) *Attorney, Agent, or Firm*—Black Lowe & Graham PLLC

(57) **CLAIM**

I claim the ornamental design for the child carrier, as shown and described.

DESCRIPTION

FIG. 1 is a front-elevational view of the child carrier, embodying my new design;

FIG. 2 is a rear-elevational view of the child carrier;

FIG. 3 is a left side-elevational view of the child carrier;



FIG. 4 is a right side-elevational view of the child carrier;

FIG. 5 is a top view of the child carrier; and,

FIG. 6 is a bottom view of the child carrier.

The broken lines shown on the surface of the article throughout the views are understood to represent stitching.

1 Claim, 6 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6