



US00D615839S

(12) **United States Design Patent**
Richter et al.

(10) **Patent No.:** **US D615,839 S**
(45) **Date of Patent:** **** May 18, 2010**

(54) **DRILL BIT**

(75) Inventors: **Joerg Richter**, Ludwigsburg (DE);
Sascha Berberich, Tuttlingen (DE);
Martin Oberlaender, Engen (DE);
Rainer Ulmschneider, Tuttlingen (DE)

(73) Assignee: **Karl Storz GmbH & Co KG**,
Tuttlingen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/350,528**

(22) Filed: **Nov. 18, 2009**

(30) **Foreign Application Priority Data**

May 18, 2009 (EM) 001516550-0012

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/70; D15/139**

(58) **Field of Classification Search** D8/70;
D15/139; 76/102; 83/845; 403/331, 381;
407/9, 33, 34, 42, 54, 63, 110, 113-115;
408/214, 224, 226-230; 433/165, 72; 606/80

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D532,024 S * 11/2006 Frey D15/139
2004/0152045 A1 * 8/2004 Kachalon 433/165
* cited by examiner

Primary Examiner—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Muncy, Geissler, Olds &
Lowe, PLLC

(57) **CLAIM**

The ornamental design of a drill bit, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a drill bit according to an embodiment of the present invention.


FIG. 2 is a rear perspective view of the drill bit of FIG. 1.

FIG. 3 is a top perspective view of the drill bit of FIG. 1.

FIG. 4 is a bottom perspective view of the drill bit of FIG. 1; and,

FIG. 5 is a three-quarters perspective view of the drill bit of FIG. 1.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5