

(12) United States Design Patent US D615,911 S (10) Patent No.: Kitazumi et al. ****** May 18, 2010 (45) **Date of Patent:**

REAR BUMPER FOR AN AUTOMOBILE (54)

- Inventors: Kazumi Kitazumi, Toyota (JP); Shin (75)**Kamiura**, Toyota (JP)
- Assignee: Toyota Jidosha Kabushiki Kaisha (JP) (73)
- 14 Years (**)[erm:
- Appl. No.: 29/342,294 (21)

OTHER PUBLICATIONS

Mercedes GL, www.netcarshow.com, available at least as early as Aug. 4, 2009. Citroen C4 Picasso, www.netcarshow.com, available at least as early as Aug. 4, 2009. X-Trail, Catalogue of X-Trail, Nov. 2006, Nissan.

* cited by examiner

(57)

design.

Primary Examiner—Melody N Brown

Aug. 21, 2009 (22)Filed:

- LOC (9) Cl. 12-16 (51)
- (52)Field of Classification Search D12/169, (58)D12/196, 171, 216, 163, 86, 90–92, 98; 293/102, 293/113, 115, 117, 120; 296/180.1, 180.2 See application file for complete search history.

(56)**References** Cited

U.S. PATENT DOCUMENTS

| D561,070 | S | * | 2/2008 | Gresens et al D12/169 |
|----------|---|---|---------|-----------------------|
| D561,071 | S | * | 2/2008 | Golden et al D12/169 |
| D566,017 | S | * | 4/2008 | Pfeiffer D12/169 |
| D580,316 | S | * | 11/2008 | Gueler et al D12/169 |
| D585,002 | S | * | 1/2009 | Tamura D12/169 |
| D585,343 | S | * | 1/2009 | Kubota et al D12/169 |
| D592,570 | S | * | 5/2009 | Lamm D12/169 |
| D600,604 | S | * | 9/2009 | Lamm D12/169 |
| D600 605 | S | * | 9/2009 | Lamm D12/160 |

(74) Attorney, Agent, or Firm—Saidman DesignLaw Group

CLAIM

The ornamental design for a rear bumper for an automobile, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a rear bumper for an automobile showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a top view thereof; FIG. **4** is a bottom view thereof; FIG. 5 is a right-side view thereof; and, FIG. 6 is a left-side view thereof. The broken line showing is for the purpose of illustrating environmental structure and forms no part of the claimed

1 Claim, 2 Drawing Sheets





U.S. Patent US D615,911 S May 18, 2010 Sheet 1 of 2









FIG. 3

U.S. Patent May 18, 2010 Sheet 2 of 2 US D615,911 S



FIG. 4



