



US00D615973S

(12) **United States Design Patent**
Sip et al.

(10) **Patent No.:** **US D615,973 S**
(45) **Date of Patent:** **** May 18, 2010**

(54) **PORTABLE DEVICE**

(75) Inventors: **Kim-Yeung Sip**, Shenzhen (CN);
Feng-Xiang Tang, Shenzhen (CN)

(73) Assignee: **Hon Hai Precision Industry Co., Ltd.**,
Tu-Cheng, Taipei Hsien (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/342,044**

(22) Filed: **Aug. 18, 2009**

(30) **Foreign Application Priority Data**

Mar. 2, 2009 (CN) 2009 3 0300932

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/346; D14/345**

(58) **Field of Classification Search** D14/341-347,
D14/390, 411, 426, 427, 431, 432, 439, 454,
D14/455, 456, 138 R, 138 AA, 138 AB, 138 AC,
D14/138 AD, 138 C, 138 G, 137, 203.7,
D14/203.3, 203.4, 203.5, 203.6, 238.1, 247,
D14/248, 250, 251, 252, 254, 496, 318, 375,
D14/125, 126; D21/329, 330, 331, 333;
D18/7; D10/65; 345/169, 901, 905; 379/433.13,
379/910, 916, 433.04, 433.07, 433.11, 433.12;
455/556.1, 556.2, 566, 575.1, 575.3, 575.4,
455/90.3

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D378,686 S * 4/1997 Proctor et al. D19/60
D395,039 S * 6/1998 Murphy et al. D14/342
D426,218 S * 6/2000 Abed et al. D14/138 AB

D431,591 S * 10/2000 Golan D18/7
6,507,336 B1 * 1/2003 Lunsford 345/168
D494,189 S * 8/2004 Ko et al. D14/501
6,798,649 B1 * 9/2004 Olodort et al. 361/679.13
6,897,850 B2 * 5/2005 Sugimoto 345/169
D527,381 S * 8/2006 Martin D14/345
7,200,224 B2 * 4/2007 Park et al. 379/433.13
D554,194 S * 10/2007 Ehara et al. D21/330
D603,363 S * 11/2009 Choi et al. D14/138 AB
2006/0284848 A1 * 12/2006 Lin 345/169

* cited by examiner

Primary Examiner—Jennifer Rivard

Assistant Examiner—Angela J Lee

(74) *Attorney, Agent, or Firm*—Frank R. Niranjani

(57) **CLAIM**

The ornamental design for a portable device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a portable device showing our design, with the portable device in a closed state;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side, elevational view thereof;

FIG. 5 is a right side, elevational view thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a perspective view of the portable device of FIG. 1, but showing the portable device in an open state.

Broken lines shown in the drawings illustrate features of the portable device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8