



US00D616088S

(12) **United States Design Patent**
Brigatti et al.

(10) **Patent No.:** **US D616,088 S**
(45) **Date of Patent:** **** May 18, 2010**

(54) **FIXED-SHAPED CANNULA FOR POSTERIOR DELIVERY OF RADIATION TO EYE**

(76) Inventors: **Luca Brigatti**, 507 Falcon Park La., Rockville, MD (US) 20850; **Russell J. Hamilton**, 10590 E. Stella Rd., Tucson, AZ (US) 85730; **Laurence J. Marsteller**, 6338 N. Camino Miraval, Tucson, AZ (US) 85718; **Michael Voevodsky**, 2231 E. Calle Lustre, Tucson, AZ (US) 85718

(**) Term: **14 Years**

(21) Appl. No.: **29/332,028**

(22) Filed: **Feb. 6, 2009**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/112**

(58) **Field of Classification Search** D24/107, D24/108, 112, 113, 127, 130, 133, 150; 600/1, 600/3, 7, 8; 604/20, 27, 93.01, 264; 623/6.12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,309,302	A	*	1/1943	Butler et al.	604/412
2,559,793	A		7/1951	Pregel	
3,169,527	A	*	2/1965	Sheridan	604/172
3,662,882	A		5/1972	Obermayer	
D235,171	S	*	5/1975	Boone	D24/113
D235,172	S	*	5/1975	Boone	D24/113
D236,920	S	*	9/1975	Sheridan	D24/112
4,300,557	A	*	11/1981	Refojo et al.	424/424
D272,089	S	*	1/1984	Glassman	D24/133
4,925,450	A	*	5/1990	Imonti et al.	604/240
5,167,647	A	*	12/1992	Wijkamp et al.	604/532
5,199,939	A	*	4/1993	Dake et al.	600/3
D340,111	S	*	10/1993	Yoshikawa	D24/112
D345,417	S	*	3/1994	Sharipov	D24/112
5,637,073	A		6/1997	Freire	
D390,656	S	*	2/1998	Linder	D24/112

(Continued)

FOREIGN PATENT DOCUMENTS

AU 323700 S * 1/2009

(Continued)

Primary Examiner—Elizabeth A Albert
Assistant Examiner—Karen E Eldridge Powers

(57) **CLAIM**

The ornamental design for a fixed-shape cannula for posterior delivery of radiation to eye.

DESCRIPTION

FIG. 1 is a side view of a fixed-shape cannula for posterior delivery of radiation to eye showing a distal portion inserted into eyeball and a proximal portion curved sideways (to the lateral side of face which is into page on the outside of eyeball);

FIG. 2 is a perspective view thereof;

FIG. 3 is a side view thereof with the distal portion on same plane as page, and proximal portion pointing into page;

FIG. 4 is an opposite side view thereof of FIG. 3, with proximal portion pointing out of page;

FIG. 5 is top view thereof;

FIG. 6 is a back view thereof;


FIG. 7 is a front view thereof;

FIG. 8 is a bottom view thereof; and,

FIG. 9 is a side view thereof showing a distal portion inserted into eyeball and a proximal portion curved sideways (to the lateral side of face which is into page on the outside of eyeball).

In FIG. 1, the broken-line showing of environmental structure (eyeball and face) and an unclaimed handle are for the purpose of illustrating the cannula in a condition of use. The broken lines and the structure they depict form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D616,088 S

Page 2

U.S. PATENT DOCUMENTS

6,053,900 A * 4/2000 Brown et al. 604/500
D428,140 S * 7/2000 Swan D24/112
6,135,984 A * 10/2000 Dishler 604/264
6,183,410 B1 2/2001 Jacobsen et al.
6,413,245 B1 7/2002 Yaacobi et al.
6,443,881 B1 9/2002 Finger
6,749,553 B2 * 6/2004 Brauckman et al. 600/3
D492,778 S * 7/2004 Narini D24/146
6,918,894 B2 * 7/2005 Fleury et al. 604/272
6,958,055 B2 * 10/2005 Donnan et al. 604/192
6,964,653 B2 * 11/2005 Negron 604/200
7,070,556 B2 * 7/2006 Anderson et al. 600/29
7,153,316 B1 * 12/2006 McDonald 606/166
D543,626 S * 5/2007 Watschke et al. D24/133
7,273,445 B2 9/2007 Pulido et al.
7,351,193 B2 4/2008 Forman et al.
D575,396 S * 8/2008 Wu D24/135

7,547,323 B2 * 6/2009 Lavigne 623/10
7,563,222 B2 * 7/2009 Larsen et al. 600/3
2002/0065448 A1 * 5/2002 Bradshaw et al. 600/3
2002/0077687 A1 * 6/2002 Ahn 607/120
2004/0138515 A1 7/2004 White et al.
2006/0223026 A1 * 10/2006 Kuroiwa et al. 433/80
2007/0219546 A1 * 9/2007 Mody et al. 606/27
2008/0161762 A1 * 7/2008 Stehr et al. 604/264
2008/0214887 A1 * 9/2008 Heanue et al. 600/3
2008/0281142 A1 * 11/2008 Lubock et al. 600/3
2010/0004499 A1 * 1/2010 Brigatti et al. 600/7
2010/0004581 A1 * 1/2010 Brigatti et al. 604/20

FOREIGN PATENT DOCUMENTS

AU 323701 S * 1/2009
AU 323703 S * 1/2009
AU 323704 S * 1/2009

* cited by examiner




FIG. 1




FIG. 2

FIG. 3





FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8

FIG. 9

