



US00D616134S

(12) **United States Design Patent Grant**

(10) **Patent No.:** **US D616,134 S**

(45) **Date of Patent:** **\*\* May 18, 2010**

(54) **LIGHTED POST CAP**

(75) Inventor: **Darcey Grant**, Kingsville (CA)

(73) Assignee: **Classy Caps Mfg. Inc.**, Kingsville, Ontario (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/334,963**

(22) Filed: **Apr. 6, 2009**

(51) **LOC (9) Cl.** ..... **25-04**

(52) **U.S. Cl.** ..... **D26/68; D25/135**

(58) **Field of Classification Search** ..... **D25/135; D26/68; 362/414; 256/65.01; 52/300**  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|             |         |                  |
|-------------|---------|------------------|
| 164,979 A   | 6/1875  | Davenport        |
| D186,379 S  | 10/1959 | Ross             |
| 3,256,659 A | 6/1966  | Dudoff           |
| 3,506,243 A | 4/1970  | Seiler           |
| D248,594 S  | 7/1978  | Tirsbier         |
| 4,703,403 A | 10/1987 | Smith et al.     |
| 4,722,514 A | 2/1988  | Pettit           |
| D316,452 S  | 4/1991  | Kira             |
| D377,229 S  | 1/1997  | Shalvi           |
| 5,853,167 A | 12/1998 | West et al.      |
| 5,934,035 A | 8/1999  | Rasmussen et al. |
| D425,173 S  | 5/2000  | Landefeld        |
| D435,309 S  | 12/2000 | Landefeld        |

|                |         |               |        |
|----------------|---------|---------------|--------|
| 6,328,457 B1   | 12/2001 | Huang         |        |
| 6,330,998 B1   | 12/2001 | Roy           |        |
| D460,570 S     | 7/2002  | Grant         |        |
| 6,581,335 B2   | 6/2003  | Grant         |        |
| 6,662,515 B2 * | 12/2003 | Buhrts et al. | 256/19 |
| D509,915 S     | 9/2005  | Rosian        |        |
| 6,994,327 B2 * | 2/2006  | Steffes       | 256/19 |
| D580,581 S     | 11/2008 | Grant         |        |

\* cited by examiner

*Primary Examiner*—Doris Clark

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for the lighted post cap, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a lighted post cap in accordance with the present invention;

FIG. 2 is a left side elevational view of the present invention, the right side elevational view being a mirror image thereof;


FIG. 3 is a front elevational view of the present invention, the rear elevational view being a mirror image thereof;

FIG. 4 is a top plan view of the present invention; and,

FIG. 5 is a bottom plan view of the present invention.

The purpose of the broken lines in the drawings indicates environmental structure that forms no part of the claimed invention.

**1 Claim, 2 Drawing Sheets**






Fig-1




Fig-2




Fig-3




Fig-4




Fig-5